# ANTHROPOLOGICAL OBSERVATIONS ON THE ANGLO-INDIANS OF CALCUTTA.

PART III. STATISTICAL ANALYSIS OF MEASUREMENTS OF SEVEN CHARACTERS.

By P. C. Mahalanobis, B.Sc., M.A. (Cantab.), F.N.I., Professor, Presidency College, Calcutta.

#### FOREWORD.

The first part of the present study was published in 1922 and the second part in 1931. In the foreword to the second part, I had explained the reasons why publication was being delayed. The original and chief aim of the present investigations was to compare the measurements on the Anglo-Indians with corresponding measurements on Indian castes and tribes as well as on groups of European origin with a view to throwing some light on the question of "origin of human races by fusion". I pointed out that one of the outstanding difficulties standing in the way of such a task was the lack of suitable statistical tools.

It is gratifying to note that considerable progress has been made in this matter since the publication of the previous part of this volume. Prof. R. A. Fisher has recently reviewed the whole question in the *Annals* of Eugenics (Vol. VIII, Part IV, pp. 376-386). In this paper he has given a connected account of the work done on discriminant functions by himself and other workers in London, the work on tests of significance in the case of multiple characters by H. Hotelling in the United States, and the work on what Fisher calls Mahalanobis's Generalized Distance by workers of the Statistical Laboratory in Calcutta. The Generalized Distance (D<sup>2</sup>-statistic) has been accepted as a convenient single measure of the amount of divergence in the mean values of different characters between different samples or groups. Since the publication of the above paper some more work has been done by Fisher himself in London and by S. N. Roy of Calcutta, which will be shortly published and which will furnish, when necessary numerical tables have been prepared, other tools for inter-racial or inter-group comparisons.

I may state here that the coefficients of correlation explicitly occur in the Generalized Distance as well as in the more recent work of Fisher and of S. N. Roy. Besides the usual statistics relating to frequency distributions I am therefore giving here also those relating to the coefficients of correlation between seven characters. This will enable the comparison of the Anglo-Indian material for these seven characters with other material as soon as numerical tables become available. Work on the preparation of such numerical tables has been already started.

In the foreword to Part I, I had also pointed out the material difficulties standing in the way of comparative studies in anthropometry,

<sup>&</sup>lt;sup>1</sup> Stature, Head Length, Head Breadth, Nasal Length, Nasal Breadth, Zygomatic Breadth and Upper Facial Length for which detailed measurements were published on pp. 139-143 of Part II of the present volume.

namely, the lack of standardization in the measurements on the living. Unfortunately this difficulty remains as acute as ever as no appreciable

progress has been made in this matter since 1931.

In investigations on race mixture another great difficulty is the lack of reliable information regarding the parental history of the sample. A general review of the subject has been recently given by J. C. Trevor in a paper entitled "Some Anthropological Characters of Hybrid Populations" in the Eugenic Review (Vol. XXX, No. 1, April 1938) in which the present series of measurements on Anglo-Indians has also been taken into consideration.

For convenience of reference I am giving here a summary of the con-

clusions reached by Trevor in the above.

"The mean values of quantitative characters are intermediate in the hybrid population where there is a clear distinction between the parental groups,. the variabilities of the hybrid population do not, on the whole, tend to be peculiarly high or peculiarly low, and. the distributions. .in the hybrid population are approximately normal in form and. .apparently always unimodal."

It will be remembered that the last two results confirm what I had pointed out in the case of Stature and Head Length in the two previous

parts of the present memoir.

In view of the fact that the attempt at detailed comparison must be abandoned for the present, the results of the statistical reductions are given in this paper with very few comments.

# Section I.—Frequency Distributions.

The Pearsonian frequency constants of the seven characters for the total sample of 200 individuals are given in Table 1. The coefficient of variation lies between 4.08 and 8.72. The variability between individuals is lowest in the case of Stature (4.08), Head Breadth (4.09), Head Length (4.75); it is appreciably greater for Zygomatic Breadth (6.08) and Upper Facial Length (7.80); while the two nasal measurements have the largest variability of 8.63 and 8.72 for Nasal Breadth and Nasal Length respectively. The variabilities of Cephalic and Nasal indices are much higher and are 11.36 and 12.15 respectively.

The symmetry of the distribution as measured by the Pearsonian  $\beta_1$ -coefficient is small in every case and statistically negligible. The flatness of the curves (kurtosis) as measured by the  $\beta_2$ -coefficient lies between 2.7 and 4.07; the departure from the theoretical value of 3.0 for a truly normal (Gauss-Laplacian) distribution being statistically

negligible in every case.

The goodness of fit for graduation by normal curves is shown in Table 2. Observed and calculated frequencies are given in detail for each character; and the observed value of the Chi-square coefficient is shown at the bottom in each case together with the available degrees of freedom; and the probability of occurrence of deviations equal to

<sup>&</sup>lt;sup>1</sup> I am indebted to Mr. J. C. Trevor for drawing my attention to a printing mistake in the list of measurements published on page 143 in Part II of the present volume. In Card No. 18, subject No. 165, the correct value of stature is 1,672 mm., as given in Part I and not 1,572 mm. as given in Part II.

or larger than the observed deviations from calculated values is given by the values of P for each character. It will be noticed that the lowest value of this probability is about 12 per cent. for Nasal Length, while all the other values are greater. This shows that the results of graduation are entirely satisfactory. We may conclude, therefore, that, in the case of samples of about 200 individuals, the different anthropological characters studied here conform quite satisfactorily to the normal distribution.

It will be remembered that the present material mostly consists of measurements of individuals of age above 20, but there were 1 subject of age 15 years, 4 subjects of age 16 years, 8 of 17 years, 9 of 18 years and 24 of 19 years. In view of this heterogeneity in the age composition of the sample I have given in Table 3 the mean values, standard deviations, and coefficients of variation separately for the immature group of 46 individuals between 15 and 19 years, and the adult group of 145 individuals between 20 and 48 years.

The results do not call for any special remarks. The mean values for the adult group are in every case larger showing the effect of growth with age. This shows the general tendency although in most cases, owing to the small size of the samples, the differences do not attain the level of statistical significance.

### Section II.—Change with Age.

In order to study the change with age of the different characters, cubic equations of regression on age were fitted for the various characters, and the actual equations are shown in Table 4.

The observed mean values for each character for each age group are given in Table 5 for comparison with the calculated values as obtained from the cubic equations of regression.

The detailed analysis of variance showing the improvement due to fitting cubic equations is given in Table 6. For testing the significance of these regressions the relevant five per cent. and one per cent. values of the ratio of variances are given in the Table below:—

Five per cent. and One per cent. Values of the Ratio of Variances.

Degrees o	f Freedom	Five per cent Values	One per cent Values	
$n_2 = 162$	$n_1 = 1$	3.91	6.81	
	2	3.07	4.75	
	3	2.67	3.91	
	25	1.58	1.90	
	28	1.55	1.87	

In Table 6 the ratio of variances which are significant at the five per cent. level are marked with a single star (\*), and those significant at the one per cent. value with two stars (\*\*).

It will be seen that for Stature the differences due to age are rather irregular, and are satisfically insignificant in the case of Head Length and Head Breadth. In the case of Nasal Length, Nasal Breadth, Zygomatic Breadth and Upper Facial Length the regressions appear to be significant, so that in the case of these characters there is definite evidence of change with age. In the case of Head Length and Head Breadth maturity appears to have been reached earlier.

#### Section III.—Correlation between Different Characters.

In view of its importance I have made a detailed investigation of the correlation between the seven characters for which individual measurements were published on pages 139-143 of Part II of this volume. Here also I have considered the question separately for the 46 individuals between 15 and 19 years, and 145 individuals between 20 and 48 years, as well as for the whole group of 200 individuals including 9 for whom age records are not available.

The actual values of the coefficients of correlation for (i) age-group 15-19 years; (ii) age-group 20-48 years; and (iii) for the whole group of 200 individuals are given in Table 7 Significant values at the five per cent. level are marked with a star (\*).

We may now briefly consider the actual values of the coefficients of correlation. For the age-group 15-19 years, only five of the coefficients of correlation are statistically significant at the five per cent. level. This is, no doubt, to a great extent due to the small size of the sample which consists of only 46 individuals. The highest correlation (+.7357 ±.0684) was observed between Nasal Length and Upper Facial Length, which is, of course, just what is to be expected, as Nasal Length actually forms a part of Upper Facial Length. Next comes a group of three characters Head Length, Nasal Breadth, and Zygomatic Breadth which are all correlated with one another with an intensity of about +0.4; the actual values being +.4176 ±.1231 for Nasal Breadth and Head Length, +.4014 ±.1250 for Zygomatic Breadth and Head Length, and +.3876 ±.1267 for Zygomatic Breadth and Nasal Breadth.

For the adult group of 20-48 years the sample is much larger and consists of 145 individuals. It is not surprising, therefore, that a much larger number of the coefficients of correlation, namely 14 out of 21, are now statistically significant.

The first thing deserving notice is the fact that 20 out of the 21 coefficients are positive; and the single negative coefficient between Nasal Length and Nasal Breadth is very small,— $0150 \pm 0833$ , and statistically negligible. In the immature group, seven of the coefficients were negative, but none of them was statistically significant. In fact for the pooled data for 200 individuals all the coefficients are positive.

The largest coefficient in the adult group is that between Nasal Length and Upper Facial Length ( $+0.6345 \pm .0498$ ) just as in the case of the immature group. As already pointed out, this is, simply due to the fact that Nasal Length forms a large portion of the Upper Facial Length. Omitting this particular coefficient, none of the other coefficients exceed 0.4, showing that the organic correlation between different characters is not strong.

The different characters show considerable variations in regard to their correlations with the other characters. Thus Zygomatic Breadth appears to be correlated significantly with all the other six measurements; while Nasal Breadth is the most independent character and shows a moderate correlation of about +0.26 with only two characters Zygomatic Breadth and Head Length. Stature is significantly correlated with all characters except Nasal Breadth; Head Length with all others except Nasal Length and Upper Facial Length; and Nasal Length with all characters except Head Length and Nasal Breadth; Upper Facial Length is significantly correlated with Stature and Zygomatic Breadth besides Nasal Length. The results are practically the same for the pooled data.

We get the same general ordering if we take the magnitude of the correlations into consideration. Thus, omitting the special case of Nasal and Upper Facial Length, for the pooled data, we find that Zygomatic Breadth and Stature have on the whole the highest correlations; next come Head Length, Head Breadth, and Upper Facial Length; while Nasal Length and Nasal Breadth show greatest independence.

# Section IV.—Linearity of the Regressions.

We may now consider a different aspect of the problem, namely, how far the correlations are linear. We require for this purpose the detailed analysis of variance which is given separately for the two age-groups and the pooled data in the three sets of Tables 8, 9 and 10 respectively.

These tables show for each character (a) the total mean square deviation or variance, (b) the variance between groups or arrays, and (c) the variance within groups or arrays. The variance between groups is then further broken up into (d) the variance due to the linear regression, and (e) that due to deviations from linearity.

For the age-group 15-19, the deviations appear to be significant at the five per cent. level in only one case, namely, the regression of Zygomatic Breadth on Head Breadth which has an observed ratio of variances of 2.29 against a five per cent. expected value of 2.12. For the adult group, the ratio of variances for deviations from linearity is 4.78 against a five per cent. value of 1.71 in the case of the regression of Stature on Head Length; and is 2.13 against a five per cent. expected value of 1.79 for the regression of Zygomatic Breadth on Head Breadth. For the pooled data none of the regressions show any significant deviation from linearity at the five per cent. level.

For each of the age groups we have 42 regressions, and for the two age-groups a total of 84 regressions. At the five per cent. level of significance we expect that, even when deviations from linearity do not really exist in fact, four of the ratio of variances are likely to come out significant by chance. In actual fact we find that in three cases only the results appear to deviate significantly from linearity. This can clearly have arisen from errors of sampling. We conclude, therefore, that even in the two age-groups on the whole there is no significant deviation from

linearity. This is, of course, fully confirmed by the fact that in the pooled data none of the 42 regressions show any significant departure from linearity.

In view of the fact that in advanced statistical analysis the product variances are often required I am giving the observed values separately for the two age-groups of 15-19 years and 20-48 years as well as for the pooled data for all ages in Table 11. The statistic given is defined by  $a_{ij}=s_i\ s_j$ .  $r_{ij}$ , where  $s_i$  and  $s_j$  are the standard deviations of the i-th and j-th characters respectively, and  $r_{ij}$  is the coefficient of correlation between the two. When i=j, the value reduces to the variances or the squares of the standard deviations which are shown in the diagonal cells.

#### SUMMARY.

We find then that the seven characters studied here are not independent, but show various degrees of correlation among themslves. The coefficients are all positive; and, with the exception of Nasal Length and Upper Facial Length where there is a mechanical cause for a high correlation, the actual magnitudes of the correlations are all on the whole small and do not exceed 0.4. Within the limits of error of sampling, the regressions also appear to be linear. The system therefore may be conveniently described as a multivariate normal distribution with small or moderate positive linear correlations between the different characters.

Table 1.—Statistical constants relating to Frequency Distributions.

(All age-groups. $N=200$ . Abso	olute values in millimetres.)	
---------------------------------	-------------------------------	--

Character	Mean value with Standard Error	Standard Deviation with Standard Error	Coefficient of variation with S. E.	β <sub>1</sub> —Coefficient with S. E	β <sub>2</sub> —Coefficient with S. E.
(1)	(2)	(3)	(4)	(5)	(6)
Stature	1656·79±4·7836	67·65±3·3825	4·08±0·2043	0·0219±0·0441	3·5416±0·8507
Head Length	182·46±0·6124	8·66±0·4330	4·75±0·2380	0·0415±0·1071	3·8295±1·3906
Head Breadth	142·64±0·4122	5·83±0·2915	4·09±0·2047	0·0010±0·0010	2·7121±0·2286
Nasal Length	50·14±0·3090	4·37±0·2185	8·72±0·4393	0·2420±0·3322	4·0664±2·1117
Nasal Breadth	35·58±0·2171	3·07±0·1535	8·63±0·4347	0.0006±0.0014	3.6782±1.0134
Zygomatic Breadth	119·81±0·5155	7·29±0·3645	6·08±0·3051	0·1527±0·2039	3·6408±1·1108
Úpper Facial Length	65·39±0·3606	5·10±0·2550	7·80±0·3923	0·0180±0·0436	3·7236±1·3339
Cephalic Index	78·37±0·6294	8·90±0·4450	11·36±0·5751	0·0949±0·1038	3·1523±0·4531
Nasal Index	71·43±0·6135	8·68±0·4338	12·15±0·6162	0·2307±0·2459	3·6652±1·1218

Table 2.—Graduation by Normal Curves: Goodness of Fit.

	STATURE			AD LENGTH	į	HEA	D BREADTH		NASAL LENGTH		
Class	Frequ	ency	Class	Freque	ncy	Class	Frequ	iency	Class	Frequency	
Intervals	Observed	Expected	Intervals	Observed	Expected	Intervals	Observed	Expected	Intervals	Observed	Expected
(1·1)	(1.2)	(1·3)	(2·1)	(2.2)	(2·3)	(3·1)	(3.2)	(3.3)	(4·1)	(4.2)	(4·3)
1440—1560 mm	12.00	14.99	154—169 mm	10.00	12·11	127—133 mm	11.00	9-69	38—46 mm	11.50	15•56
15601580 ,,	10.00	10.44	169—172 "	14.00	10.90	133—135 ,,	9.50	8-99	46—48 "	23.00	18·14
1580—1600 "	11.00	14-66	172—175 "	15.00	16.52	135—137 "	9.50	14.52	48—50 ,,	23.50	28.71
1600—1620 ,,	20.50	18.83	175—178 "	13.00	22.18	137—139 "	17.50	19.66	50—52 ,,	46.50	35.19
<b>1620—1640</b> "	31.00	21.34	17,8—181 ,,	30.00	26.37	139—141 ,,	32.50	25.08	52—54 "	37.00	35.67
1640—1660 ,,	25.00	23.73	181—184 "	32.50	27.78	141—143 ,,	32.50	26-83	54—56 "	25.00	29.91
1660—1680 ,,	17.50	23.38	184—187 "	30.00	25.23	143—145 ,,	20.50	27.04	56—58 "	14.50	19.43
1680—1700 "	19.50	21.06	187—190 "	21.50	21.57	145—147 ,,	20-00	22.86	58—60 ,,	9.50	10.51
1700—1720 "	22.00	16.85	190—193 "	20.00	15.85	147—149 "	16.00	18-19	60—74 "	9.50	6-88
1720—1740 "	11.50	13-22	193—196 "	4.50	10.31	149—151 "	13.00	12.43			
1740—1760 "	5.00	9.14	196—214 "	9.50	11.18	151—153 "	10.50	7.36			
1760—1860 "	15.00	12:36				153—171 ,,	7.50	7.35			
TOTAL	200-00	200.00		200-00	200.00		200.00	200.00	•••	200.00	200.00

 $<sup>\</sup>chi^2 = 11.96$ , D. F. = 9

$$\chi^2 = 9.14$$
, D. F. = 9

$$P = 0.4251$$

$$\chi^{2}=10.14$$
, D. F.=6

P = 0.2133

 $<sup>\</sup>chi^2 = 12.01$ , D. F. = 8

P-0-1509

Table 2.—Graduation by Normal Curves: Goodness of Fit—contd.

NA	SAL BREADTH		Zye	GOMATIC BREADTH		Upper	FAGIAL LENGTH	
Class	Frequ	uency	Class	Frequency		Class	Frequency	
Intervals	Observed	Expected	Intervals	Observed	Expected	Intervals	Observed	Expected
(5·1)	(5.2)	(5·3)	(6·1)	(6.2)	(6.3)	(7·1)	(7.2)	(7.3)
26—30 mm	8∙00	6-42	90—108 mm	8-50	10.52	50—56 mm	5.50	6.29
30—32 "	10.50	16.97	108—110 "	10.50	7.50	56—58 ,,	11.00	8-14
<b>32—34</b> ,	<b>37·</b> 00	<b>36·90</b>	110—112 "	13.00	10-44	58—60 ,,	11.50	14.0
34—36 "	<b>6</b> 0 <b>-</b> 50	50.83	112—114 "	9-50	14.50	60—62 ,,	14.00	21.8
36—38 ,,	46.00	47.07	114—116 "	13.50	17•35	6264 ,,	34.00	28.4
88—40 ,,	23.00	27.64	116—118 "	13-50	20.73	64—66 ,,	35.00	30.8
4046 ,,	15.00	14.17	118—120 ,,	29.50	21.36	66—68 ,,	35.50	30.1
			120—122 ,,	28.50	21.95	68—70 ,,	22.00	24.0
			122—124 "	17·50	20·14	70—72 ,,	14.00	17-2
			124—126 ,,	20-50	16.54	72—74 ,,	7.50	10.1
			126—128 ,,	13-00	18-55	74—88 "	10.00	8.9
			128—130 ,,	8.50	9.57			
			130—132 ,,	4.00	6·75			
			132—134 ,,	10-00	9·10			
TOTAL	200.00	200.00		200.00	200.00		200.00	200.0

 $\chi^2 = 5.55$ , D. F.=4

P=0.2386

 $\chi^{2}=14.73$ , D. F.=11

P=0-1976

 $\chi^{2}=10.13$ , D. F.=8

P = 0.2567

Table 3.—Statistical Constants relating to Frequency Distributions.

Character	Mean value with Standard Error	Standard Devia- tion with Standard Error	Coefficient of variation with Standard Error
Stature	1646·30±11·1894	75·89±7·9121	$4.61 \pm 0.4817$
Head Length	$181.78 \pm 1.3226$	8·97±0·9352	$4.93 \pm 0.5152$
Head Breadth	$142 \cdot 35 \pm 0 \cdot 8154$	5·53±0·5765	$3.88 \pm 0.4050$
Nasal Length	48·59±0·6016	4·08±0·4254	$8.40 \pm 0.8820$
Nasal Breadth	$34.63 \pm 0.4526$	3·07±0·3200	$8.87 \pm 0.9320$
Zygomatic Breadth	$117 \cdot 15 \pm 1 \cdot 0763$	7·30±0·7611	$6 \cdot 23 \pm 0 \cdot 6516$
Upper Facial Length	$63.85 \pm 0.7033$	$4.77 \pm 0.4973$	$7.47 \pm 0.7827$
	Age Group 20—48 y	years, N=145	
Stature	1659·93±5·4553	65·69±3·8574	$3.96 \pm 0.2329$
Head Length	$182 \cdot 30 \pm 0 \cdot 7051$	8·49±0·4985	$4.66 \pm 0.2743$
Head Breadth	$142.77 \pm 0.5008$	6·03±0·3541	$4 \cdot 22 \pm 0 \cdot 2483$
Nasal Length	$50.59 \pm 0.3621$	4·36±0·2560	$8.62 \pm 0.5100$
Nasal Breadth	$35.81 \pm 0.2558$	3·08±0·1809	$8.60 \pm 0.5088$
Zygomatic Breadth	$120 \cdot 38 \pm 0 \cdot 5929$	7·14±0·4193	$5.93 \pm 0.3494$
Upper Facial Length	$65.89 \pm 0.4302$	5·18±0·3042	<b>7·86±0·464</b> 5

Table 4.—Non-linear Regression on Age.

(N=191. Absolute measurements in mm.)

Character	Cubic Eq	uation of Regres	ssion on Age (t=	=years)			
(1)	(2)						
Stature	Y=1645·2471	—13·5324 t	+0.7415 t <sup>2</sup>	-0.01069 t <sup>3</sup>			
Head Length	Y= 179.5459	-1·4542 t	+0.0710 t <sup>2</sup>	0·00824 t³			
Head Breadth	Y= 171·3794	3·5696 t	+0·1353 t <sup>2</sup>	-0·00157 t³			
Nasal Length	Y= 23.8112	+1.9150 t	-0.0702 t <sup>2</sup>	+0.00065 t3			
Nasal Breadth .	Y= 27·1259	+0.6506 t	0·0143 t <sup>2</sup>	+0.00009 ts			
Zygomatic Breadth .	Y= 89·5022	+2·1949 t	-0.0428 t <sup>2</sup>	+0.00019 t <sup>3</sup>			
Upper Facial Length	Y = 42.8450	+1.8791 t	0·0468 t <sup>2</sup>	+0.00036 t3			
Cephalic Index	Y= 90.9972	1·2977 t	+0.0416 t <sup>2</sup>	0.00040 t³			
Nasal Index	Y= 77.6140	0·4450 t	+0.0070 t <sup>2</sup>	+0.00001 t <sup>3</sup>			

Table 5.—Variations with Age.

(Calculated from cubic regression on age. All absolute measurements in mm.)

	Stat	ure	Head I	ength	Head B	Breadth	Nasal :	Length	Na Bres	sal dth
Age in Years	Observed	Calculated	Observed	Calculated	Observed	Calculated	Observed	Calculated	Observed	Calculated
(1)	(2·1)	(2·2)	(3·1)	(3.2)	(4·1)	(4.2)	(5·1)	(5.2)	(6·1)	(6.2)
15 16	1446·00 1651·00	1632·60 1634·46	179·50 175·75	180·54 180·60	144·00 144·50	142·98 142·46	44·00 50·05	46·70 47·45	38·00 34·75	34·04 34·37
10	1031.00	1034.40	170-70							
17	1624.75	1635.88	182.63	180.70	139.75	142.00	48.12	48.07	33.38	34.65
18	1638-44	1639-48	183-22	180.85	143-44	141.80	47.44	48.69	35.11	34.83
19	1666-17	1642-49	182-29	181-04	142-47	141.68	49.04	49·14	34.70	35.04
20	1633-21	1645.74	179-27	181-26	141-37	141.53	49.68	49.48	34·16	35.21
21	1680.75	1649-16	181-12	181.51	141.37	141.37	50.00	49.94	36.06	35.38
22	1658-47	1652-68	181.32	181.78	142.58	141.59	50.58	50.30	36.26	35·5 <b>4</b>
23	1644-13	1656-68	184·50	182-06	139-12	141-65	48.38	50.51	35.38	35.68
23 24	1642.91	1659.71	183.00	182.35	143.37	141.90	44.72	50.65	38.00	35.80
25	1619.00	1663.08	183.00	182.65	147.00	142.00	53.16	50.87	35.50	35.91
26	<b>1</b> 653·00	1666-26	179.50	182-95	142.50	142.39	52·12	51.00	35.75	36.00
27	1711-38	1669·18	186-44	183-23	144-67	142-62	49.56	51.06	35.22	36-08
28	1664.80	1671.76	183-40	183.51	144.80	142.98	51.80	51.14	35.20	36.15
29	1648-00	1673.93	181.88	183.77	142.75	143.30	52.50	51.21	35.62	36-21
30	1683.33	1675-62	182·33	184.00	141.50	143.59	52.50	51.12	35-66	36.25
31	1716.00	1676-76	190.00	184-20	143.00	143.92	56·00	51.04	35.00	36.28
32	1667-67	1677.28	188.00	184.37	143.00	144-11	49.50	50.97	38.83	36.31
20	1474.00	1000 10	100.00	104.40	150.00		<b>74</b> 00			
33 35	1676·33 1698·67	1677·10 1674·96	180·33 189·33	184·49 184·60	150·00 147·00	144·45 144·74	51·00 47·66	50·89 50·70	32.00	36.32
33	1089.01	1074.90	108.99	104.00	147.00	144.14	47.00	50.70	36.00	36· <b>33</b>
38	1644.00	1673-24	180.00	184-29	139.00	144.80	52.00	50.35	37.00	36.27
39	1662-00	1667-37	188-00	184.05	141.00	144-60	50.00	50.28	38.50	36.24
40	1848-00	1650-30	186-00	183.72	154.00	144-40	52.00	50·16	35.50	36.20
41	1638-00	1645.90	164.00	183-31	142.00	144.00	50.00	50·12	35.00	36.15
42	1730.00	1632.28	190.00	182-81	147.00	143.56	53.00	50.08	37.00	36·10
43	1540.00	1621.18	173.00	182.80	132.00	143.00	43.00	50.03	35.00	36.05
44	1010.00	1000 50	100.00	101 40	150.00		F0.00	FO 00	•	
44 45	1610·00 1598·00	1609·59 1594·44	190·00 182·00	181·49 180·68	150·00 144·00	142·25 141·36	52·00 55·00	50·00 50·05	36·00 36·00	36·00 35·94
48	1574.00	1541.92	170.00	177.51	138.00	137.72	47.00	50.05	35·00	35.74
				_,, ,,		-31 12	00		00 00	

Table 5.—Variations with Age—contd.

(Calculated from cubic regression on age. All absolute measurements in mm.)—contd.

	Zygomatic	Breadth	Upper Faci	ial Length	Cephalic	Index	Nasal Index	
Age in Years:	Observed	Calculated	Observed	Calculated	Observed	Calculated	Observed	Calculated
(1)	(7·1)	(7.2)	(8·1)	(8·2)	(9·1)	(9·2)	(10·1)	(10.2)
15	124.00	114.00	56.00	61.73	80.90	79.49	86·40	72.54
16	113.00	114.70	64.50	62.42	82·40	79·18	68.78	72.32
17	114.05	115.57	62.88	63.06	76.58	78.92	69.84	72-11
18	119.00	116.34	62.33	63.63	78-46	78.70	75.06	71.92
19	117.07	117-16	64.96	64·19	<b>78</b> ∙33	78·5 <b>1</b>	71.13	71.75
20	116.04	117-87	64.74	64.62	78-96	78.36	69.04	71.58
21	120.09	118-65	64.56	65.00	78-12	78-25	72.39	71.44
22	117:09	119-30	64.72	65.50	78.75	78·16	71.97	71.31
23	117.02	120.06	66.13	65.92	75·71	78·11	73.46	71.20
24	122.07	120.67	64.27	66.14	78.46	78.08	77·05	71.20
25	120.05	121.00	65-67	66-27	80.38	70.07	00.9h	
26	124.00	121.28	69.76	66.65	79.54	78·07 78·08	66·87 69·90	71·02 70·96
27	119.04	101 70	04.00	22.21		·	_	
28	123.08	121·78 122·00	64·00 67·00	66·91 67·00	77·77 79·08	78·11 78·15	71·36 68·50	70.92
						76.13		70.89
29 30	124·00 121·00	122.05	67.87	67.01	78.76	78.21	68.09	70.89
30	121.00	122·10	68.33	66.94	77·69	78-27	68.23	70.90
31	131.00	122-25	75.00	67.00	75.30	78.34	62.50	70.93
32	122.03	122.30	64.50	66.98	76.07	78.42	78.83	70.98
33	119.03	122.35	66.00	66.95	83·37	78.50	62.73	71.05
35	125.06	122.30	65-00	66.90	77.63	<b>78·6</b> 5	75.93	71.25
38	120.00	121.80	65.00	66.85	77-20	78.83	71·10	71.70
39	123.00	121.50	65.00	66.80	75.50	78-87	77.00	71.80
40	127.00	121-10	70.00	66-44	82·80	78.89	67·30	72·10
41	120.00	120.90	62.00	66.35	86.60	78-89	70.00	72.84
<b>4</b> 2	120.00	120.50	70.00	66-32	77-40	78-87	69.75	<b>72·6</b> 0
43	110.00	120-20	65.00	66.24	76.30	78.82	81.40	72.88
44	122.00	119.87	71.00	66-00	78-90	<b>7</b> 8·75	69-20	79.10
45	116.00	119.37	66.00	65.83	84.70	78.65	65-40	73·18 73·51
48	126.00	117.63	62.00	65· <b>50</b>	75.80	78.14	74.50	74.63

Table 6.—Analysis of Variance: Non-Linear Regression on Age. (N = 191.)

Variance due to	D. F.	Sum of Squares	Variance	Ratio of Variances					
(1)	(2)	(3)	(4)	(5)					
STATURE									
Linear Regression	1	12864.98	12864.98	3.09					
Improvement	2	15957-89	7978-95	1.90					
Cubic Regression .	3	28822-87	9607-62	2.30					
Deviation from Cubic .	25	180220.04	7208-80	1.73*					
Between Age Groups .	28	209042-91	7465.82	1.79*					
Within Age Groups .	162	675513.00	4169.83						
	Hrad Le	NGTH							
Linear Regression	1	118.80	118-80	1.61					
Improvement	2	347.85	173-93	2.36					
Cubic Regression	3	466-65	155.55	2.11					
Deviation from Cubic	25	1457-12	58.28	0.79					
Between Age Groups .	28	1933-77	69.06	0.94					
Within Age Groups	162	11950-99	73.77						
	HEAD BRI	EADTH							
Linear Regression	} 1	71.84	71.84	2.11					
Improvement .	2	76.75	38-38	1.13					
Cubic Regression	3	148.59	49.53	1.45					
Deviation from Cubic	25	934-24	37.37	1.10					
Between Age Groups .	28	1082-83	38-67	1.13					
Within Age Groups	162	5521.37	34.08						
	Nasal Le	ENGTH							
Linear Regression .	. ] 1	90.83	90.83	5.00*					
Improvement .	2	124.07	62.03	3-41*					
Cubic Regression	3	214.90	71.63	3.94**					
Deviation from Cubic	25	363-96	14:56	0.80					
Between Age Groups	. 28	578-86	20.67	1.14					
Within Age Groups	162	2942.83	18-16						

<sup>\*</sup> Significant at 5 per cent. level.

<sup>\*\*</sup> Significant at 1 per cent. level.

Table 6.—Analysis of Variance: Non-Linear Regression on Age—contd. (N = 191.)

		(14 = 13	,1.,		
NASAL BREADTH   Linear Regression	Variance due to	D. F.		Variance	
Linear Regression	(1)	(2)	(3)	(4)	(5)
Temprovement		Nasal Bri	EADTH		·
Cubic Regression         3         55-68         18-56         2-12           Deviation from Cubic         25         257-17         10-29         1-17           Between Age Groups         28         312-85         11-17         1-28           Within Age Groups         162         1418-75         8-76           ZYGOMATIC BREADTH           Linear Regression         1         496-63         496-63         10-61**           Improvement         2         325-48         162-74         3-47*           Cubic Regression         3         822-11         274-04         5-85**           Deviation from Cubic         25         1034-86         41-39         0-88           Between Age Groups         28         1856-97         66-32         1-42           Within Age Groups         162         7586-73         46-83         1-42           Upper Facial Length         Linear Regression         1         172-69         172-69         6-76*           Improvement         2         91-59         45-79         1-79           Cabic Regression         3         264-28         88-09         3-45*           Deviation from Cubic         25         539-75	Linear Regression	1	41.01	41.01	4.68*
Deviation from Cubic   25	Improvement	2	11.67	5.84	0.67
Between Age Groups	Cubic Regression	3	55.68	18.56	2.12
Within Age Groups	Deviation from Cubic	25	257.17	10.29	1.17
Deviation from Cubic   Deviation from Cubic	Between Age Groups	28	312.85	11.17	1.28
Linear Regression         1         496-63         496-63         10-61**           Improvement         2         325-48         162-74         3-47*           Cubic Regression         3         822-11         274-04         5-85***           Deviation from Cubic         25         1034-86         41-39         0-88           Between Age Groups         28         1856-97         66-32         1-42           Within Age Groups         162         7586-73         46-83           UPPER FACIAL LENGTH           Linear Regression         1         172-69         172-69         6-76*           Improvement         2         91-59         45-79         1-79           Cubic Regression         3         264-28         88-09         3-45*           Deviation from Cubic         25         539-75         21-59         0-85           Between Age Groups         28         804-03         28-71         1-12           Within Age Groups         162         4137-72         25-54           CEPHALIC INDEX           Linear Regression         1         0-61         0-61         0-03           Improvement         2         56-	Within Age Groups	162	1418-75	8.76	
Improvement         2         325·48         162·74         3·47*           Cubic Regression         3         822·11         274·04         5·85**           Deviation from Cubic         25         1034·86         41·39         0·88           Between Age Groups         28         1856·97         66·32         1·42           Within Age Groups         162         7586·73         46·83           UPPER FACIAL LENGTH           Linear Regression         1         172·69         172·69         6·76*           Improvement         2         91·59         45·79         1·79           Cubic Regression         3         264·28         88·09         3·45*           Deviation from Cubic         25         539·75         21·59         0·85           Between Age Groups         28         804·03         28·71         1·12           Within Age Groups         162         4137·72         25·54           Cephalic Index           Linear Regression         1         0·61         0·61         0·03           Improvement         2         56·04         28·02         1·44           Cubic Regression         3         56·65         18·88	2	ZYGOMATIC E	READTH		
Cubic Regression         3         822·11         274·04         5·85**           Deviation from Cubic         25         1034·86         41·39         0·88           Between Age Groups         28         1856·97         66·32         1·42           UPPER FACIAL LENGTH           Linear Regression         1         172·69         172·69         6·76*           Improvement         2         91·59         45·79         1·79           Cubic Regression         3         264·28         88·09         3·45*           Deviation from Cubic         25         539·75         21·59         0·85           Between Age Groups         28         804·03         28·71         1·12           Within Age Groups         162         4137·72         25·54         1·12           CEPHALIC INDEX           Linear Regression         1         0·61         0·03         1·44           Cubic Regression         2         56·04         28·02         1·44           Cubic Regression         3         56·65         18·88         0·97           Deviation from Cubic         25         480·39         19·21         0·98           Between Age Groups <td< td=""><td>Linear Regression</td><td>  1</td><td>496.63</td><td>496-63</td><td>10.61**</td></td<>	Linear Regression	1	496.63	496-63	10.61**
Deviation from Cubic         25         1034·86         41·39         0·88           Between Age Groups         28         1856·97         66·32         1·42           Within Age Groups         162         7586·73         46·83           UPPER FACIAL LENGTH           Linear Regression         1         172·69         172·69         6·76*           Improvement         2         91·59         45·79         1·79           Cubic Regression         3         264·28         88·09         3·45*           Deviation from Cubic         25         539·75         21·59         0·85           Between Age Groups         28         804·03         28·71         1·12           Within Age Groups         162         4137·72         25·54         1·12           CEPHALIC INDEX           Linear Regression         1         0·61         0·61         0·03           Improvement         2         56·04         28·02         1·44           Cubic Regression         3         56·65         18·88         0·97           Deviation from Cubic         25         480·39         19·21         0·98           Between Age Groups         28         537·0	Improvement	2	325.48	162.74	3.47*
Between Age Groups         28         1856-97         66·32         1·42           Within Age Groups         162         7586·73         46·83           UPPER FACIAL LENGTH           Linear Regression         1         172·69         172·69         6·76*           Improvement         2         91·59         45·79         1·79           Cubic Regression         3         264·28         88·09         3·45*           Deviation from Cubic         25         539·75         21·59         0·85           Between Age Groups         28         804·03         28·71         1·12           Within Age Groups         162         4137·72         25·54           CEPHALIC INDEX           Linear Regression         1         0·61         0·61         0·03           Improvement         2         56·04         28·02         1·44           Cubic Regression         3         56·65         18·88         0·97           Deviation from Cubic         25         480·39         19·21         0·98           Between Age Groups         28         537·04         19·18         0·98	Cubic Regression	3	822-11	274.04	5·85**
Within Age Groups         162         7586·73         46·83           UPPER FACIAL LENGTH           Linear Regression         1         172·69         172·69         6·76*           Improvement         2         91·59         45·79         1·79           Cabic Regression         3         264·28         88·09         3·45*           Deviation from Cubic         25         539·75         21·59         0·85           Between Age Groups         28         804·03         28·71         1·12           Within Age Groups         162         4137·72         25·54           CEPHALIC INDEX           Linear Regression         1         0·61         0·03           Improvement         2         56·04         28·02         1·44           Cubic Regression         3         56·65         18·88         0·97           Deviation from Cubic         25         480·39         19·21         0·98           Between Age Groups         28         537·04         19·18         0·98	Deviation from Cubic	25	1034.86	41.39	0.88
Linear Regression	Between Age Groups	28	1856-97	66.32	1.42
Linear Regression         1         172·69         172·69         6·76*           Improvement         2         91·59         45·79         1·79           Cubic Regression         3         264·28         88·09         3·45*           Deviation from Cubic         25         539·75         21·59         0·85           Between Age Groups         28         804·03         28·71         1·12           Within Age Groups         162         4137·72         25·54           CEPHALIC INDEX           Linear Regression         1         0·61         0·61         0·03           Improvement         2         56·04         28·02         1·44           Cubic Regression         3         56·65         18·88         0·97           Deviation from Cubic         25         480·39         19·21         0·98           Between Age Groups         28         537·04         19·18         0·98	Within Age Groups	162	7586.73	46.83	
Improvement       2       91·59       45·79       1·79         Cubic Regression       3       264·28       88·09       3·45*         Deviation from Cubic       25       539·75       21·59       0·85         Between Age Groups       28       804·03       28·71       1·12         Within Age Groups       162       4137·72       25·54         CEPHALIC INDEX         Linear Regression       1       0·61       0·03         Improvement       2       56·04       28·02       1·44         Cubic Regression       3       56·65       18·88       0·97         Deviation from Cubic       25       480·39       19·21       0·98         Between Age Groups       28       537·04       19·18       0·98	U	PPER FACIAI	LENGTH		
Cubic Regression       3       264·28       88·09       3·45*         Deviation from Cubic       25       539·75       21·59       0·85         Between Age Groups       28       804·03       28·71       1·12         Within Age Groups       162       4137·72       25·54         CEPHALIC INDEX         Linear Regression       1       0·61       0·61       0·03         Improvement       2       56·04       28·02       1·44         Cubic Regression       3       56·65       18·88       0·97         Deviation from Cubic       25       480·39       19·21       0·98         Between Age Groups       28       537·04       19·18       0·98	Linear Regression	] 1	172.69	172.69	6.76*
Deviation from Cubic         25         539·75         21·59         0·85           Between Age Groups         28         804·03         28·71         1·12           Within Age Groups         162         4137·72         25·54           CEPHALIC INDEX           Linear Regression         1         0·61         0·61         0·03           Improvement         2         56·04         28·02         1·44           Cubic Regression         3         56·65         18·88         0·97           Deviation from Cubic         25         480·39         19·21         0·98           Between Age Groups         28         537·04         19·18         0·98	Improvement	2	91.59	45.79	1.79
Between Age Groups       28       804.03       28.71       1.12         Within Age Groups       162       4137.72       25.54         CEPHALIC INDEX         Linear Regression       1       0.61       0.61       0.03         Improvement       2       56.04       28.02       1.44         Cubic Regression       3       56.65       18.88       0.97         Deviation from Cubic       25       480.39       19.21       0.98         Between Age Groups       28       537.04       19.18       0.98	Cabic Regression	3	264.28	88.09	3.45*
Within Age Groups         162         4137·72         25·54           CEPHALIC INDEX           Linear Regression         1         0·61         0·61         0·03           Improvement         2         56·04         28·02         1·44           Cubic Regression         3         56·65         18·88         0·97           Deviation from Cubic         25         480·39         19·21         0·98           Between Age Groups         28         537·04         19·18         0·98	Deviation from Cubic	25	539.75	21.59	0.85
CEPHALIC INDEX           Linear Regression         1         0.61         0.61         0.03           Improvement         2         56.04         28.02         1.44           Cubic Regression         3         56.65         18.88         0.97           Deviation from Cubic         25         480.39         19.21         0.98           Between Age Groups         28         537.04         19.18         0.98	Between Age Groups	28	804.03	28.71	1.12
Linear Regression         1         0.61         0.03           Improvement         2         56.04         28.02         1.44           Cubic Regression         3         56.65         18.88         0.97           Deviation from Cubic         25         480.39         19.21         0.98           Between Age Groups         28         537.04         19.18         0.98	Within Age Groups	162	4137.72	25.54	
Improvement       2       56.04       28.02       1.44         Cubic Regression       3       56.65       18.88       0.97         Deviation from Cubic       25       480.39       19.21       0.98         Between Age Groups       28       537.04       19.18       0.98		CEPHALIC 1	Index		
Cubic Regression       3       56.65       18.88       0.97         Deviation from Cubic       25       480.39       19.21       0.98         Between Age Groups       28       537.04       19.18       0.98	Linear Regression	1	0.61	0.61	0.03
Deviation from Cubic       25       480·39       19·21       0·98         Between Age Groups       28       537·04       19·18       0·98	Improvement	2	56.04	28.02	1.44
Between Age Groups 28 537.04 19.18 0.98	Cubic Regression	3	56.65	18.88	0.97
	Deviation from Cubic	25	480.39	19-21	0.98
Within Age Groups   162   3160·67   19·51	Between Age Groups	28	537.04	19-18	0.98
	Within Age Groups	162	3160.67	19.51	

<sup>\*</sup> Significant at 5 per cent. level.

<sup>\*\*</sup> Significant at 1 per cent, level,

Table 6.—Analysis of Variance: Non-Linear Regression on Age—concld.
(N=191.)

Variance due to	D. F.	Sum of Squares	Variance	Ratio of Variances
(1)	(2)	(3)	(4)	(5)
	Nasal In	DEX		
Linear Regression	1	16.86	16.86	0.23
Improvement .	2	60-40	30.20	0.41
Cubic Regression .	3	77.26	25.75	0.35
Deviation from Cubic	25	2150-67	86:03	1.18
Between Age Groups .	28	2227.93	79-57	1.09
Within Age Groups	162	11855.53	73.18	

Table 7.—Coefficients of Correlation between Characters.

Characters	Age 15—19 years, N=46	Age 20—48 years, N=145.	All Ages, N=200
(1)	(2)	(3)	(4)
Stature and Head Length ,, ,, Head Breadth ,, ,, Nasal Length	$\begin{array}{c} 0.2462 \pm 0.1400 \\ -0.0541 \pm 0.1486 \\ 0.1707 \pm 0.1447 \end{array}$	0·3977*± 0·0702 0·2690*± 0·0773 0·1638*± 0·0811	0·3576*± 0·0618 0·1930*± 0·0682 0·1758*± 0·0687
" " Nasal Breadth " " Zygomatic Breadth " " Upper Facial Length	$0.0732 \pm 0.1483$ $0.2863 \pm 0.1369$ $0.1537 \pm 0.1456$	0.1476 ± 0.0815 0.2733*± 0.0771 0.3060*± 0.0755	0·1279 ± 0·0697 0·2684*± 0·0658 0·2871*± 0·0650
Head Length and Stature  ,, ,, ,, Head Breadth ,, ,, ,, Nasal Length ,, ,, ,, Nasal Breadth ,, ,, ,, Zygomatic Breadth ,, ,, ,, Upper Facial Length	0·2462 ± 0·1400 0·0347 ± 0·1489 0·2549 ± 0·1394 0·4176*± 0·1231 0·4014*± 0·1250 0·1108 ± 0·1472	0·3977*± 0·0702 0·2401*± 0·0785 0·0949 ± 0·0826 0·2075*± 0·0797 0·3299*± 0·0743 0·1446 ± 0·0816	0.3576*± 0.0618 0.2034*± 0.0680 0.0149 ± 0.0709 0.2551*± 0.0663 0.3501*± 0.0622 0.0954 ± 0.0702
Head Breadth and Stature  ,, ,, Head Length ,, ,, Nasal Length ,, ,, Nasal Breadth ,, ,, Zygomatic Breadth ,, ,, ,, Upper Facial Length	$\begin{array}{c} -0.0541 \pm 0.1486 \\ 0.0347 \pm 0.1489 \\ 0.3226* \pm 0.1336 \\ 0.0995 \pm 0.1476 \\ 0.0532 \pm 0.1486 \\ 0.1714 \pm 0.1447 \end{array}$	0·2690*± 0·0773 0·2401*± 0·0785 0·1915*± 0·0803 0·0564 ± 0·0831 0·2514*± 0·0781 0·1027 ± 0·0825	0·1930*± 0·0682 0·2034*± 0·0680 0·2066*± 0·0679 0·0715 ± 0·0705 0·2162*± 0·0676 0·1282 ± 0·0697

<sup>\*</sup> Significant values are marked with a star (\*).

Table 7.—Coefficients of Correlation between Characters—contd.

		C	liaracters	Age 15—19 years, N=46	Age 20—48 years, N=145	All Ages, N=200
			(1)	(2)	(3)	(4)
Nasal	Length	and	Stature	0·1707 ± 0·1447	0·1638*± 0·0811	0·1758*± 0·0687
,,	**	,,	Head Length	$-0.2549 \pm 0.1394$	$0.0949 \pm 0.0826$	0.0149 ± 0.0709
,,	**	,,	Head Breadth	0·3226*± 0·1336	0·1915*± 0·0803	0·2066*± 0·0679
37	**	,,	Nasal Breadth	$-0.0604 \pm 0.1485$	0·0150 ± 0·0833	0.0024 ± 0.0709
,,	,,	,,	Zygomatic Breadth	-0·1821 ± 0·1441	0·2322*± 0·0788	0·1359 ± 0·0696
,,	"	,,	Upper Facial Length	0.7357*± 0.0684	0.6345*± 0.0498	0·6587*± 0·0401
Nasal	Breadth	and	Stature	0·0732 ± 0·1483	0·1476 ± 0·0815	0·1279 ± 0·0697
"	,,	"	Head Length	0·4176*± 0·1231	0·2075*± 0·0797	0·2551*± 0·0663
,,	,,	,,	Head Breadth	0·0995 ± 0·1476	0·0564 ± 0·0831	0.0715 ± 0.0705
**	,,	**	Nasal Length	$-0.0604 \pm 0.1485$	0·0150 ± 0·0833	0.0024 ± 0.0709
"	"	,,	Zygomatic Breadth	0·3876*± 0·1267	0·1902*± 0·0803	0·2611*± 0·0661
,,	,,	,,	Upper Facial Length	$-0.0123 \pm 0.1488$	0·0531 ± 0·0831	0·0567 ± 0·0707
Zygon	atic Br	eadtl	h and Stature	0·2863 ± 0·1369	0·2733*± 0·0771	0·2684*± 0·0658
,,		,,	" Head Length	0.4014*± 0.1250	0·3299*± 0·074 <b>3</b>	0.3501*± 0.0622
,,		,,	" Head Breadth	$0.0532 \pm 0.1486$	0·2514*± 0·0781	0·2162*± 0·0676
**		,,	" Nasal Length	$-0.1821 \pm 0.1441$	0·2322*± 0·0788	0.1359 ± 0.0696
;•		,,	" Nasal Breadth	0·3876*± 0·1267	0·1902*± 0·0803	0.2611*± 0.0661
"		,,	" Upper Facial Length	-0·1409 ± 0·1461	0·3123*± 0·0752	0·2178*± 0·0675
Upper	Facial	Leng	th and Stature	0·1537 ± 0·1456	0·3060*± 0·0755	0·2871*± 0·0650
,,	,,	,,	" Head Length	$-0.1108 \pm 0.1472$	0·1446 ± 0·0816	0·0954 ± 0·0702
1)	"	,,	" Head Breadth	0·1714 ± 0·1447	0·1027 ± 0·0825	0·1282 ± 0·0697
••	,,	,,	" Nasal Length	0·7357*± 0·0684	0·6345*± 0·0498	0·6587*± 0·0401
,,	,,	,,	" Nasal Breadth	0·0123 ± 0·1488	0·0531 ± 0·0831	0·0567 ± 0·0707
,,	,,	,,	" Zygomatic Breadth	$-0.1409 \pm 0.1461$	0·3123*± 0·0752	0·2178*± 0·0675

<sup>\*</sup> Significant values are marked with a star (\*),

# Table 8.—Analysis for Testing Non-linearity of Regression.

(Age Group 15—19 years, N = 46)

	Degrees	Squares of (	Váriance	Ratio of Variance		Coefficient of Correlation	
Source of Variation	of Freedom	Squares of Deviation	(Mean Square)	Observed	5%	and Correlation Ratio	
(1·1)	(1.2)	(2·1)	(2·2)	(3·1)	(3.2)	(4)	
	HEAD	LENGTH ON S	TATURE				
Linear Regression	1 1	219.55	219.55	2.60	4.15	$\mathbf{r} = +0.2462$	
Deviation from Linearity	12	695-83	57.99	0.69	2.07	r <sup>9</sup> = 0.0606	
Between Group	13	915-38	70-41	0.83	2.04	$\eta^{\bullet} = 0.2528$	
Within Group	32	2705·95	84.56				
TOTAL	45	3621.33	80-47				
	HRAD ]	Breadth on S	STATURE	,	,	ı	
Linear Regression	1 1	4.02	4.02	0.11	4.15	r=-0.0541	
Deviation from Linearity	12	223·45	18-62	0.52	2.07	r³= 0·0029	
Between Group	13	227·47	17.50	0.49	2.04	$\eta^2 = 0.1655$	
Within Group	32	1146.96	35.84				
TOTAL	45	1374.43	30.54	_			
	NASAL	LENGTH ON S	STATURE	1	•	•	
Linear Regression	1 1	21.85	21.85	1.37	4.15	$\mathbf{r} = +0.1707$	
Deviation from Linearity	12	217·24	18·10	1.13	2.07	r <sup>2</sup> = 0.0291	
Between Group	13	239·09	18.39	1.15	2.04	$\eta^2 = 0.3187$	
Within Group	32	511.06	15.97			-	
TOTAL	45	750.15	16.67				
	NASAL 1	BREADTH ON	STATURE	•		ļ	
Linear Regression	1 1	2.27	2.27	0.22	4.15	$\mathbf{r} = +0.0732$	
Deviation from Linearity	12	98·42	8.20	0.81	2.07	r <sup>2</sup> = 0.0054	
Between Group	13	100-69	7.75	0.77	2.04	$\eta^2 = 0.2376$	
Within Group	32	323.03	10.09				
TOTAL .	45	423.72	9.42				
	Zygomati	O BREADTH O	n Stature			1	
Linear Regression	1	196·48	l <sup>196⋅48</sup>	3.76	4.15	$\mathbf{r} = +0.2863$	
Deviation from Linearity	12	530·13	44·18	0.85	2.07	r <sup>2</sup> = 0.0820	
Between Group	13	726-61	55.89	1.07	2.04	$\eta^2 = 0.3031$	
Within Group	32	1670-32	52.20				
TOTAL	45	2396-93	53.27				
	UPPER F	ACIAL LENGTE	ON STATU	R <b>E</b>	l		
Linear Regression	1	24·19	24.19	1.05	4.15	$\mathbf{r} = +0.1537$	
Deviation from Linearity	12	261-11	21.76	0.94	2.07	r³= 0.0236	
Between Group	13	285·30	21.95	0.95	2.04	$\eta^2 = 0.2784$	
Within Group	32	739-63	23.11				
TOTAL	45	1024.93	22.78				

Table 8.—Analysis for Testing Non-linearity of Regression—contd.

(Age Group 15—19 years, N=48).

	(Age Gro	up 15—19 year	rs, N=46).					
Source of Variation	Degrees	Sum of Squares of	Variance (Mean	Ratio Varian		Coefficient of Correlation and		
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio		
(1·1)	(1.2)	(2·1)	(2.2)	(3·1)	(3.2)	(4)		
	STAT	TURE ON HEA	D LENGTH					
Linear Regression	1	15712-54	15712-54	2.47	4.16	$\mathbf{r} = +0.2462$		
Deviation from Linearity	13	46492-14	3576-32	0.56	2.05	$r^2 = 0.0606$		
Between Group	14	62204.68	4443-19	0.70	2.02	$\eta^2 = 0.2400$		
Within Group	31	196967.04	6353-78					
TOTAL	45	259171.72	5759-37					
	HEAD B	READTH ON H	LEAD LENGTH					
Linear Regression	1 1	1.66	1.66	0.04	4.16	$\mathbf{r} = +0.0347$		
Deviation from Linearity	13	213.69	16.44	0.44	2.05	$\mathbf{r}^2 = 0.0012$		
Between Group	14	215.35	15.38	0.41	2.02	$\eta^2 = 0.1567$		
Within Group	31	115 <b>9</b> .08	37.39					
TOTAL	45	1374.43	30.54	į				
	NASAL I	LENGTH ON H	EAD LENGTH					
Linear Regression	[ 1 <sub> </sub>	48·75 <sub>1</sub>	48.75	2.55	4.16	$\mathbf{r} = -0.2549$		
Deviation from Linearity	13	109-14	8.40	0.44	2.05	$r^2 = 0.0650$		
Between Group	14	157.89	11.28	0.59	2.02	$\eta^2 = 0.2105$		
Within Group	31	592-26	19-11					
TOTAL	45	750-15	16.67					
	NASAL B	READTH ON H	EAD LENGTH	'	1			
Linear Regression	. 1	73.90	73·90 <sub> </sub>	7.54*	4.16	r = +0.4176		
Deviation from Linearity	13	46-18	3.55	0.36	2.05	$r^2 = 0.1744$		
Between Group	14	120.08	8.58	0.88	2.02	$\eta^2 = 0.2834$		
Within Group	31	303-64	9.79					
TOTAL	45	423.72	9.42					
	ZYGOMATIC	BREADTH ON	HEAD LENGT	EK.	•			
Linear Regression	1 1	386.28	386.28	6.95*	4.16	$r = +0.4014^{\frac{1}{4}}$		
Deviation from Linearity	13	287.98	22·15	0.40	2.05	$r^2 = 0.1612$		
Between Group	14	674-26	48.16	0.87	2.02	$\eta^2 = 0.2813$		
Within Group	31	1722-67	55.57		l			
TOTAL	45	2396-93	53.27	İ				
	Upper Facial Length on Head Length							
Linear Regression	1 1 I	12.59	12.59	0.47	4.16	r =-0·1108		
Deviation from Linearity	13	187-40	14.42	0.54	2.05	r <sup>2</sup> = 0.0123		
Between Group	14	199-99	14.29	0.54	2.02	$\eta^2 = 0.1951$		
Within Group	31	824-94	26.61	Ì		•		
TOTAL	45	1024.93	22.78					

Table 8.—Analysis for Testing Non-linearity of Regression—contd.

(Age Group 15-19 years, N=46)

	(Age G	roup 15—19 y	ears, $N=46$ )		_	
Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio o Variano		Coefficient of Correlation and
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio
(1·1)	(1.2)	(2·1)	(2·2)	(8·1)	(3.2)	(4)
	STAT	URE ON HEAD	BREADTH			
Linear Regression .	1	758.08	758.08	0.12	4.13	$\mathbf{r} = -0.0541$
Deviation from Linearity	10	51431-24	5143-12	0.84	2.12	r*= 0.0029
Between Group	11	52189-32	4744-48	0.78	2.07	$\eta^2 = 0.2014$
Within Group	34	206982-40	6087.72			
TOTAL	45	259171.72	5759-37	ļ		
	HEAD	LENGTH ON	HEAD BREADT	PH.	•	•
Linear Regression .	l 1	4.36	4.36	0.08	4.13	r = +0.0847
Deviation from Linearity	10	1114-22	111-42	1.51	2.12	r <sup>9</sup> = 0.0012
Between Group	11	1118-58	101-69	1.38	2.07	$\eta^2 = 0.3089$
Within Group	34	2502.75	73.61			
TOTAL	45	3621-33	80.47	_	ļ	
	NASAL I	LENGTH ON H	EAD BREADTH		•	•
Linear Regression	. 1	78.08	78-08	5.80*	4.13	$\mathbf{r} = +0.3226^{\bullet}$
Deviation from Linearity	10	213-93	21.39	1.58	2.12	r*= 0·1041
Between Group	111	292-01	26.55	1.97	2.07	$\eta^{s} = 0.3893$
Within Group	34	458-14	13.47			
TOTAL	45	750·15	16.67	]		
	NASAL E	BREADTH ON E	IBAD BREADTI	-· •	ı	ı
Linear Regression	1	4.19	4.19	0.41	4.13	r = +0.0995
Deviation from Linearity	10	72.89	7.29	0.72	2.12	r <sup>2</sup> = 0.0099
Between Group	11	77.08	7.01	0.69	2.07	$\eta^{2} = 0.1819$
Within Group	34	346-64	10.20			
TOTAL .	45	423.72	9.42	-		
	ZYGOMATIC	BREADTH ON	HEAD BREAL	- DTH	ļ	•
Linear Regression	<sub>[</sub> 1	6.78	6.78	0.16	4.13	r = +0.0532
Deviation from Linearity .	10	961-37	96.14	2.29*	2.12	$r^3 = 0.0028$
Between Group	11	968-15	88.01	2.09*	2.07	η³= 0·4039
Within Group	34	1428.78	42.02			
TOTAL .	45	2396.93	53.27	-		1
	UPPER FAC	DIAL LENGTH	on Head Bre	-` ADTH	ı	J
Linear Regression .	1 1	30.11	30·11	1 [1.32	4.13	r = +0·1714
Deviation from Linearity .	10	220.94	22.09	[O·97	2.12	,
Between Group	11	251.05	22.82	[1.00	2.07	$\eta^{s} = 0.2449$
Within Group .	34	773-88	22.76			'
Total .	45	1024-93	22.78	-		
		<u> </u>	1		<u> </u>	1

Table 8.—Analysis for Testing Non-linearity of Regression—contd.

(Age Group 15—19 years, N = 46)

			ars, N = 46)	,		
Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio Varian		Coefficient of Correlation and
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio
(1·1)	(1.2)	(2·1)	(2·2)	(3·1)	(3.2)	(4)
	STAT	URE ON NASA	L LENGTH			
Linear Regression	1	7548-38	7548-38	1.17	4.11	$\mathbf{r} = +0.1707$
Deviation from Linearity	8	19294-62	2411-83	0.37	2.21	r <sup>2</sup> = 0.0291
Between Group	9	26843-00	2982-56	0.46	2.16	$\eta^3 = 0.1036$
Within Group	36	232328.72	6453.58			
TOTAL	45	259171.72	5759-37	ļ		
		LENGTH ON N.	ASAL LENGTH			
Linear Regression	1	235.35	235.35	2.75	4.11	$\mathbf{r} = -0.2549$
Deviation from Linearity	8	300∙50	37·56	0.44	2.21	r <sup>2</sup> = 0.0650
Between Group	9	535-85	59.54	0.69	2.16	$\eta^2 = 0.1480$
Within Group	36	3085.48	85.71			
TOTAL	45	3621.33	80.47	ļ	ļ	
	HEAD B	READTH ON N	ASAL LENGTH			
Linear Regression	<sub>]</sub> 1	143-06	143.06	4.98*	4·11	r = +0-3226
Deviation from Linearity	8	197-55	24.69	0.86	2.21	r <sup>2</sup> = 0·1041
Between Group	9	340-61	37·85	1.32	2.16	$\eta^3 = 0.2478$
Within Group	36	1033-82	28.72		l .	
TOTAL	45	1374-43	30.54			
	NASAL B	READTH ON N	ASAL LENGTH	-	•	•
Linear Regression	1	1.54	1.54	0.16	4.11	r =-0.0604
Deviation from Linearity	8	74.36	9.29	0.97	2.21	r <sup>2</sup> = 0.0036
Between Group	9	75.90	8.43	0.88	2.16	$\eta^2 = 0.1791$
Within Group	36	347-82	9.61			
TOTAL	45	423.72	9.42			
	ZYGOMATIC	Breadth on	NASAL LENGT	TH.		
Linear Regression .	, 1	79.44	79-44	1.51	4.11	r =-0·1821
Deviation from Linearity	8	423-26	52.91	1.01	2.21	r <sup>2</sup> = 0.0331
Between Group	9	502-70	55.86	1.06	2.16	$\eta^s = 0.2097$
Within Group	36	1894-23	5 <b>2·</b> 62			
TOTAL	45	2396-93	53.27			
	Upper Faci.	AL LENGTH ON	NASAL LENG	' ITH	'	
Linear Regression	1 1	554.80	554.80	56.29*	4.11	$\mathbf{r} = +0.73574$
Deviation from Linearity	8	115.30	14-41	1.46	2.21	r <sup>2</sup> = 0.5413
Between Group	9	670-10	74.46	7.55●	2.16	η°= 0.6538
Within Group	36	354.83	9.86			•
·	45	1024.93	22.78			

Table 8.—Analysis for Testing Non-linearity of Regression—contd.

(Age Group 15—19 years, N=46)

. <u></u> ,	(Age Gi	roup 15—19 ye	ears, N = 46)				
Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio ( Varian		Coefficient of Correlation and	
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio	
(1·1)	(1.2)	(2·1)	(2·2)	(3·1)	(3·2)	(4)	
	STAT	TURE ON NASA	L BREADTH		-		
Linear Regression	1	1389-16	1389-16	0.23	4.09	$\mathbf{r} = +0.0732$	
Deviation from Linearity	6	27347-40	4557.90	0.75	2.35	r <sup>2</sup> = 0.0054	
Between Group	7	28736-56	4105-22	0.68	2.26	$\eta^2 = 0.1109^4$	
Within Group	38	230435·16	6064-08				
TOTAL	45	259171.72	5759-37				
	HEAD	LENGTH ON	NASAL BREAD	СН			
Linear Regression .	1	631.60	631.60	8.55*	4.09	$\mathbf{r} = +0.4176$	
Deviation from Linearity	6	183-07	30.51	0.41	2.35	r <sup>2</sup> = 0·1744	
Between Group	7	814-67	116-38	1.58	2.26	$\eta^2 = 0.2250$	
Within Group	38	2806-66	73-86	ļ			
TOTAL	45	3621-33	80.47	]			
	HEAD B	READTH ON N	ASAL BREADTI	I		•	
Linear Regression	1	13.60	13.60	0.41	4·09	r = +0.0995	
Deviation from Linearity	6	113.87	18.98	0.58	2.35	r2= 0.0099	
Between Group .	7	127-47	18-21	0.55	2.26	$\eta^2 = 0.0927$	
Within Group	38	1246-96	32.81				
TOTAL	45	1374-43	30.54	-			
	NASAL ]	LENGTH ON N	ASAL BREADTH		•	•	
Linear Regression	1	2.73	2.73	0.15	4.09	r =0.0604	
Deviation from Linearity	6	63.35	10.56	0.57	2.35	r <sup>2</sup> = 0.0036	
Between Group	7	66.08	9-44	0.52	2.26	$\eta^2 = 0.0881$	
Within Group	38	684-07	18.00				
TOTAL .	45	750-15	16-67	]			
	ZYGOMATIC	BREADTH ON	NASAL BREAK	DTH	'	•	
Linear Regression	1	360.07	360-07	6.92*	4.09	r = +0.3876	
Deviation from Linearity	6	59.87	9.98	0.19	2.35	r <sup>2</sup> = 0.0150	
Between Group	7	419-94	59-99	1.15	2.26	$\eta^2 = 0.1752$	
Within Group .	38	1976-99	52-03				
TOTAL	45	2396.93	53.27	]			
	UPPER FACE	TAL LENGTH O	n Nasal Bre	ADTH	•	•	
Linear Regression	1	1.55	1.55	0.06	4.09	r =-0.0123	
Deviation from Linearity	6	114-89	19.15	0-80	2.35	r <sup>2</sup> = 0.0015	
Between Group	7	116-44	16.63	0-70	2.26	$\eta^2 = 0.1136$	
Within Group	38	908-49	23.91				
TOTAL	45	1024.93	22.78	-			
			Į	<u> </u>		<u> </u>	

Table 8.—Analysis for Testing Non-linearity of Regression—contd

	(Age G	roup 15—19 y	ears, N=46)			
Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio Varian		Coefficient of Correlation and
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio
(1·1)	(1.2)	(2·1)	(2·2)	(3·1)	(3.2)	(4)
	STATUR	e on Zygoma	TIC BREADTH			
Linear Regression	1	21244·82	21244.82	2.93	4.18	$r_{.}=+0.2863$
Deviation from Linearity	15	27826·14	1855.08	0.26	2.02	$\mathbf{r}^2 = 0.0820$
Between Group	16	49070.96	3066-94	0.53	2.00	$\eta^{\bullet} = 0.1893$
Within Group	29	210100.76	7244.85			
TOTAL	45	259171.72	5759.37	ĺ	i	
	HEAD LEN	GTH ON ZYGO	MATIC BREAD	гн	•	•
Linear Regression	l í	583.59	583.59	6.46*	4.18	$r = +0.4014^{\bullet}$
Deviation from Linearity	15	418-19	27.88	0.31	2.02	$r^2 = 0.1612$
Between Group	16-	1001.78	62.61	0.69	2.00	$\eta^2 = 0.2766$
Within Group	29	2619.55	90.33		•	
TOTAL	45	3621.33	80.47			
	HEAD BRE.	ADTH ON ZYG	OMATIC BREAD	тн	1	l
Linear Regression	. 1	3.89	3.89	0.11	4.18	r = +0.0532
Deviation from Linearity	15	323.83	21.59	0.60	2.02	$r^2 = 0.0028$
Between Group	16	327.72	20.48	0.57	2.00	$\eta^2 = 0.2384$
Within Group	29	1046-71	36.09			
TOTAL	45	1374.43	30.54			
	NASAL LEN	GTH ON ZYGO	MATIC BREAD	l PH	l	l
Linear Regression	. 1	24.86	24.86	1.23	4.18	r = -0.1821
Deviation from Linearity	15	139-16	9.27	0.46	2.02	$r^2 = 0.0331$
Between Group	16	164.02	10.25	0.51	2.00	$\eta^2 = 0.2186$
Within Group .	29	586·13	20.21			·
TOTAL	45	750-15	16.67		l I	
	NASAL BRE	ADTH ON ZYG	OMATIC BREAD	TH		
Linear Regression	1 1	63.65	63.65	6.36*	4.18	r = +0.3876*
Deviation from Linearity	15	69-63	4.64	0.46	2.02	$r^2 = 0.1502$
Between Group	16	133-28	8.33	0.83	2.00	$\eta^2 = 0.3145$
Within Group	29	290.44	10.02			·
TOTAL	45	423.72	9.42			
1	UPPER FACIA	L LENGTH ON	ZYGOMATIC B	 		
Linear Regression	ı 1	20.36	20.36	0.73	4.18	$\mathbf{r} = -0.1409$
Deviation from Linearity	15	198-95	13.26	0.48	2.02	$r^2 = 0.0199$
Between Group	16	219:31	13.71	0.49	2.00	$\eta^2 = 0.2140$
Within Group	29	805-62	27.78			•
TOTAL	45	1024.93	22.78			
	1		I		1	

Table 8.—Analysis for Testing Non-linearity of Regression—concld.

(Age Group 15—19 years, N = 46)

	(Age G	toup 15—15 y	cais, N — 40)			<u> </u>	
Source of Variation	Degrees	Sum of Squares of	Variance (Mean	Ratio Varian		Coefficient of Correlation and	
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio	
(1·1)	(1.2)	(2·1)	(2·2)	(3·1)	(3·2)	(4)	
	STATU	RE ON UPPER	FACIAL LENG	тн			
Linear Regression	1	6117-49	6117-49	0.93	l <sup>4·12</sup>	$\mathbf{r} = +0.1537$	
Deviation from Linearity	9	23443·23	<b>26</b> 04·80	0.40	2.16	r <sup>2</sup> = 0.0236	
Between Group	10	29560·72	2956-07	0.45	2.12	$\eta^2 = 0.1141$	
Within Group	35	229611.00	6560-31				
TOTAL	45	259171.72	5759.37				
	HEAD LE	NGTH ON UPP	ER FACIAL LE	NGTH			
Linear Regression	1 1	44.49	44.49	0.52	4.12	r =0·1108	
Deviation from Linearity	δ	565-84	62·87	0.73	2.16	$\mathbf{r^3} = 0.0123$	
Between Group	10	610.33	61.03	0.71	2.12	$\eta^{1} = 0.1685$	
Within Group .	35	3011.00	86.03				
TOTAL	45	3621.33	80.47				
	HEAD BRI	ADTH ON UPP	er Facial Li	INGTH			
Linear Regression	1	40.38	40.38	1.30	4.12	$\mathbf{r} = +0.1714$	
Deviation from Linearity	9	245·80	27.31	0.88	2.16	r <sup>2</sup> = 0.0294	
Between Group	10	286·18	28.62	0.92	2.12	$\eta^{1} = 0.2082$	
Within Group .	35	1088-25	31.09				
TOTAL .	45	1374·43	30.54				
	NASAL LE	ngth on Upp	ER FACIAL LE	NGTH			
Linear Regression .	1 1	406·06 I	406.06	49.25*	4.12	$\mathbf{r} = +0.7357^{\bullet}$	
Deviation from Linearity	9	55.54	6·17	0.75	2·16	r <sup>2</sup> = 0.5413	
Between Group	10	461.60	46·16	5.60*	2.12	$\eta^{2} = 0.6153$	
Within Group .	35	288.55	8-24				
TOTAL .	45	750-15	16.67				
	NASAL BRI	ADTH ON UPI	PER FACIAL LI	ength			
Linear Regression .	1 1	0.64	0.64	0.06	4.12	r =0·0123	
Deviation from Linearity	9	59.90	6.66	0.64	2.16	$r^2 = 0.0015$	
Between Group	10	60·54	6.05	0.58	2.12	$\eta^{s} = 0.1429$	
Within Group .	35	363·18	10.38			-	
TOTAL	45	423.72	9.42				
2	Zygomatio E	i Breadth on U	JPPER FACIAL	Length	_		
Linear Regression	1 1	47·62	47·62	0·78 <sub>I</sub>	4.12	$\mathbf{r} = -0.1409$	
Deviation-from Linearity	9	219-61	24·40	0.40	2·16	r <sup>2</sup> = 0.0199	
Between Group	10	267-23	26.72	0.44	2.12	$\eta^2 = 0.1115$	
Within Group .	35	2129·70	60·85			•	
TOTAL	45	2396-93	53.27				
-	1						

Table 9.—Analysis for Testing Non-linearity of Regression

(Age Group 20-48 years, N= 145)

	(Age a	roup 20—48 y					
Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio ( Varian		Coefficient of Correlation and	
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio	
(1·1)	(1.2)	(2·1)	(2·2)	(3·1)	(3.2)	(4)	
	н	EAD LENGTH	ON STATURE				
Linear Regression	1	1642-20	1642-20	26.86*	3.92	r= 0·3977*	
Deviation from Linearity	17	1039-23	61.13	1.00	1.69	$r^2 = 0.1581$	
Between Group	18	268 <b>T</b> 43	148-97	2.44*	1.68	$ \eta^{\bullet} = 0.2582 $	
Within Group	126	7703.53	61.14				
TOTAL	144	10384.90	72.12	]	]		
	H	BAD BREADTH	ON STATURE				
Linear Regression .	1	370.12	379.12	11.67*	3.92	$\mathbf{r} = +0.2690^{\bullet}$	
Deviation from Linearity	.17	767.79	45.16	1.39	1.69	$\mathbf{r}^{\mathbf{s}} = 0.0723$	
Between Group	18	1146-91	63.72	1.96*	1.68	$\eta^{\bullet} = 0.2188$	
Within Group	126	4094.58	32.50	_]			
TOTAL	144	5241.49	36.40	_}			
	N	ASAL LENGTH	ON STATURE				
Linear Regression	, 1	73.45	73.45	3.83	3.92	$\mathbf{r} = +0.1638$	
Deviation from Linearity .	17	245.58	14.45	0.75	1.69	r <sup>3</sup> = 0.0268	
Between Group	18	319.03	17.72	0.92	.1.68	$\eta^{\bullet} = 0.1165$	
Within Group	126	2418-96	19.20				
TOTAL	144	2737-99	19.01	<u>-</u>			
	N	ASAL BREADT	H ON STATURE	· 1		•	
Linear Regression	1	29.73	29.73	3.11	3.92	r = +0.1476	
Deviation Linearity	17	129.85	7.64	0.80	1.69	$\mathbf{r}^{3} = 0.0218$	
Between Group	18	159.58	8.87	0.93	1.68	$\eta^2 = 0.1170$	
Within Group	126	1204.39	9.56				
TOTAL	144	1363-97	9.47				
	ZY	OMATIC BREA	DTH ON STATI	JRE .		•	
Linear Regression	1	547.51	j 547·51	11.80	* <sub> </sub> 3.92	$\mathbf{r} = +0.2733$	
Deviation from Linearity	17	938-98	55.23	1.19	1.69	$\mathbf{r}^2 = 0.0747$	
Between Group	18	1486-48	82.58	1.78	• 1·68	$\beta \mid \eta^{\bullet} = 0.2027$	
Within Group	126	5845-65	46.39	,			
TOTAL	144	7332-14	50.92				
	U	PPER FACIAL	LENGTH ON S	PATURE	•		
Linear Regression	, 1	362.09			3•   3·9:	$2 \mid \mathbf{r} = +0.3066$	
Deviation from Linearity	17	328.20		ì		Ì	
Between Group	18	690.29					
Within Group	126	3176.98	1	ŀ		'	
Total	144	3867.23		[	1		

Table 9.—Analysis for Testing Non-linearity of Regression—contd.

(Age Group 20—48 years, N=145)

Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio ( Varian		Coefficient of Correlation and
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio
(1·1)	(1.2)	(2·1)	(2·2)	(3·1)	(3·2)	(4)
	ST	ATURE ON HE	AD LENGTH			
Linear Regression	1	98247-93	98247-93	25.29*	3.92	$\mathbf{r} = +0.3977$
Deviation from Linearity	16	29717.31	1857:38	4.78*	1.71	$\mathbf{r}^2 = 0.1581$
Between Group	17	127965-24	7527-37	1.94*	1.69	$\eta^2 = 0.2060$
Within Group	127	493334.08	3884.52			
TOTAL	144	621299-32	4314.58			
	Head	BREADTH ON	HEAD LENGT			
Linear Regression	1	302.03	302-03	8.28*	3.92	$r = +0.2401^{\circ}$
Deviation from Linearity	16	306-65	19.17	0.53	1.71	$\mathbf{r}^2 = 0.0576$
Between Group	17	608.68	35·80	0.98	1.69	$\eta^2 = 0.1161$
Within Group	127	4632-81	36.48			
TOTAL	144	5241.49	36.40		]	
	NASA	L LENGTH ON	HEAD LENGT	H		
Linear Regression	1	24.65	24.65	1.34	3.92	$\mathbf{r} = +0.0949$
Deviation from Linearity	16	373-41	28·34	1.27	1.71	r <sup>2</sup> = 0.0090
Between Group	17	398.06	23.42	1.27	1.69	$\eta^2 = 0.1454$
Within Group	127	2339-93	18·42			
TOTAL	144	2737.99	19.01			
	NASAL	BREADTH ON	HEAD LENG!	r Pr		•
Linear Regression	ı 1	ı 58⋅69	ı 58⋅ <b>6</b> 9	6.15*	3.92	$\mathbf{r} = +0.2075$
Deviation from Linearity	16	94.04	5.88	0.62	1.71	$\mathbf{r^2} = 0.0430$
Between Group	17	152.73	8.98	0.94	1.69	$\eta^{2} = 0.1120$
Within Group	127	1211-24	9.54			'
TOTAL	144	1363-97	9.47			
	ZYGOMA	ric Brradth	ON HEAD LEN	Стн	•	
Linear Regression	1	798.03	798.03	17.42*	3.92	$\mathbf{r} = +0.32999$
Deviation from Linearity	16	717-32	44.83	0.98	1.71	r <sup>2</sup> = 0·1088
Between Group	17	1515-35	89·14	1.95*	1.69	$\eta^2 = 0.2067$
Within Group	127	5 <b>816</b> ·78	45.80			
TOTAL	144	7332·14	50.92			
	UPPER F	ACIAL LENGTH	ON HEAD LE	' NGTH	-	-
Linear Regression .	1 1	80.86	80.86	3.24	3.92	r = +0.1446
Deviation from Linearity	16	612-27	38-27	1.53	1.71	$\mathbf{r^2} = 0.0209$
Between Group	17	693·14	40.77	1.63	1.69	$\eta^2 = 0.1792$
Within Group	127	3174·10	24.99			•
TOTAL	144	3867.23	26.86			

TABLE 9.—Analysis for Testing Non-linearity of Regression—contd.

(Age Group 20—48 years, N = 145)

	(Age G	roup 20—48 ye	als, N = 140)	T		
Source of Variation	Degrees of	Sum of Squares of	Variançe (Mean	Ratio ( Varian		Coefficient of Correlation and
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio
(1·1)	(1.2)	(2·1)	(2.2)	(3·1)	(3·2)	(4)
	ST	ATURE ON HEA	AD BREADTH			
Linear Regression	1	44939-20	44939-20	11.16*	$\begin{vmatrix} 3.92 \end{vmatrix}$	$r = +0.2690^{\bullet}$
Deviation from Linearity	13	52953.12	4073.32	1.01	1.79	r*= 0.0723
Between Group	14	97892·32	6992.31	1.74	1.76	$\eta^{s} = 0.1576$
Within Group		523407.00	4026.21			
TOTAL	144	621299-32	4314.58			
	HE	AD LENGTH ON		DTH		
Linear Regression	1	598-40	598.40	8.63*	3.92	$r = +0.2401^{\circ}$
Deviation from Linearity	13	773.46	59.50	0.86	1.79	r <sup>2</sup> = 0.0576
Between Group	14	1371-85	97.99	1.41	1.76	$\eta^2 = 0.1321$
Within Group	130	9013.04	69.33			
TOTAL	144	10384.90	72.12			
	NASAI	LENGTH ON	HEAD BREAD	LH		
Linear Regression	1	100.44	100-44	5.27*	3.92	$\mathbf{r} = +0.1915$
Deviation from Linearity	13	161-11	12.39	0.65	1.79	$\mathbf{r}^2 = 0.0367$
Between Group	14	261.55	18.68	0.98	1.76	$\eta^2 = 0.0955$
Within Group	130	2476-45	19.05			•
TOTAL	144	2737.99	19.01			
	NASAL	BREADTH ON	HEAD BREAD	TH	J	1
Linear Regression	1	4.34	4.34	0.45	3.92	$\mathbf{r} = +0.0564$
Deviation from Linearity	13	98.95	7⋅61	0.78	1.79	$\mathbf{r}^2 = 0.0032$
Between Group	14	103-29	7.38	0.76	1.76	$\eta^{3} = 0.0757$
Within Group	130	1260-69	9.70			
TOTAL	144	1363.97	9.47	1		
	ZYGOMAT	IO BREADTH O	N HEAD BRE	ADTH	•	•
Linear Regression	1	463-42	463.42	10.64*	3.92	$\mathbf{r} = +0.2514$
Deviation from Linearity	13	1206.72	92.82	2·13*	1.79	r <sup>2</sup> = 0.0632
Between Group	14	1670-14	119-30	2.74*	1.76	$\eta^* = 0.2278$
Within Group	130	5661.99	43.55			•
TOTAL	144	7332-14	50.92			
	UPPER FA	ACIAL LENGTH	on Head Br	I EADTH		ı
Linear Regression	ı 1	40.78	40.78	1.43	3.92	$\mathbf{r} = +0.1027$
Deviation from Linearity	13	125.84	9.68	0.34	1.79	$\mathbf{r}^2 = 0.0105$
Between Group	14	166-62	11.90	0.42	1.76	$\eta^2 = 0.0431$
Within Group	130	3700-61	28.47			•
TOTAL	144	3867.23	26.86			

Table 9.—Analysis for Testing Non-linearity of Regression—contd.

(Age Group 20-48 years, N=145)

Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio ( Varian		Coefficient of Correlation and
Source of Variation	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio
(1·1)	(1.2)	(2·1)	(2·2)	(8·1)	(3.2)	(4)
	ST	ATURE ON NA	SAL LENGTH			
Linear Regression	1	16668-22	16668-22	3.94*	3.92	$\mathbf{r} = +0.1638^{*}$
Deviation from Linearity	13	54123.54	4163.35	0.98	1.79	$r^2 = 0.0268$
Between Group	14	70791.76	5056.55	1.19	1.76	$\eta^* = 0.1139$
Within Group	130	550507.56	4234.67			
TOTAL	144	621299-32	4314.58	ļ		
		LENGTH ON	1			
Linear Regression	1	93.49	93.49	1.20	3.92	$\mathbf{r} = +0.0949$
Deviation from Linearity	13	97.53	7.50	0.96	1.79	r <sup>2</sup> = 0.0090
Between Group	14	191.02	13.64	0.17	1.76	$\eta^* = 0.0184$
Within Group	130	10193.88	78·11			
TOTAL	144	10384-90	72.12			
	HEAD	BREADTH ON	NASAL LENG	гн		
Linear Regression	<sub> </sub> 1	192.27	192-27	5.21*	3.92	$\mathbf{r} = +0.1915^{\bullet}$
Deviation from Linearity	13	252.52	19.42	0.53	1.79	r <sup>2</sup> = 0.0367*
Between Group	14	444.80	31.77	0.86	1.76	$\eta^2 = 0.0849$
Within Group	180	4796-69	36.90			
TOTAL	144	5241.49	36.40			
	NASAL	BREADTH ON	NASAL LENG	TH	-	
Linear Regression	<b>1</b>	0.31	0.31	0.03	3.92	r =0.0150
Deviation from Linearity	13	48.98	3.77	0.37	1.79	r <sup>2</sup> = 0.0002
Between Group	14	49-29	3.52	0.35	1.76	$\eta^2 = 0.0361$
Within Group	130	1314.68	10.11			
TOTAL	144	1363-97	9.47			
	ZYGOMA	rio Breadth	on Nasal Le	NGTH	•	•
Linear Regression	, 1	395.30	395.30	8.10*	3.92	$\mathbf{r} = +0.2322$
Deviation from Linearity	13	589·14	45.32	0.93	1.79	r <sup>2</sup> = 0.0539
Between Group	14	984-45	70.32	1.44	1.76	$\eta^2 = 0.1343$
Within Group	130	6347-69	48.83			1
TOTAL	144	7332-14	50.92	-		
	UPPER F	ACIAL LENGTH	ON NASAL L	-  Ength	'	1
Linear Regression	. 1	1556.64	1556.64	92.54*	3.92	r = +0.6345
Deviation from Linearity	13	123.83	9.53	0.57	1.79	r <sup>2</sup> = 0.4025
Between Group	14	1680-47	120.03	7.14*	1.76	$\eta^2 = 0.4345$
Within Group	130 ′	2186.76	16.82			
TOTAL	144	3867.23	26.86	7		

Table 9.—Analysis for Testing Non-linearity of Regression—contd.

(Age Group 20-48 years, N=145)

	(Age (	Froup 20—48 y	rears, N = 145)			
Source of Variation	Degrees	Sum of Squares of	Variance (Mean	Ratio Varian		Coefficient of Correlation and
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio
(1·1)	(1.2)	(2·1)	(2.2)	(3·1)	(3.2)	(4)
	St	TATURE ON NA	SAL BREADTH			
Linear Regression	1	13543.70	13543.70	3.12	3.91	$\mathbf{r} = +0.1476$
Deviation from Linearity	8	21741.62	2717.70	0.63	2.00	$r^2 = 0.0218$
Between Group	9	35285.32	3920·59	0•90	1.94	$\eta^2 = 0.0568$
Within Group	135	586014.00	4340.84			
TOTAL	144	621299.32	4314.58			
	HE	AD LENGTH ON	NASAL BREA	DTH		
Linear Regression	1	446.87	446.87	6.25*	3.91	$\mathbf{r} = +0.2075^{\bullet}$
Deviation from Linearity	8	284.05	35.51	0.50	2.00	$\mathbf{r}^2 = 0.0430$
Between Group	, 9	730.92	81.21	1.14	1.94	$\eta^2 = 0.0704$
Within Group	135	9653.98	71.51			
TOTAL	144	10384-90	72.12			
	HEAD	BREADTH ON	NASAL BREAD	тн		
Linear Regression	1 1	16.68	16.68	0.47	3.91	r = +0.0564
Deviation from Linearity	8	421.13	52.64	1.48	2.00	$\mathbf{r}^2 = 0.0032$
Between Group	9	437.82	48.65	1.37	1.94	$\eta^2 = 0.0835$
Within Group	135	4803.67	35.58	J		,
TOTAL	144	5241.49	36.40			
	NASAL	LENGTH ON ]	NASAL BREAD	CH 	•	
Linear Regression	1 1	0.62	0.62	0.03	3.91	$\mathbf{r} = -0.0150$
Deviation from Linearity	8	140.54	17.57	0.91	2.00	$\mathbf{r}^2 = 0.0002$
Between Group	9	141.16	15.68	0.82	1.94	$\eta^2 = 0.0516$
Within Group	135	2596.83	19.24		<b>!</b>	•
TOTAL	144	2737.99	19.01			
	ZYGOMAT	C BREADTH O	n Nasal Bre	' ADTH	•	1
Linear Regression	1 1	265.03	265.03	5·16 <b>*</b> (	3.91	$\mathbf{r} = +0.1902^{\bullet}$
Deviation from Linearity	8	134.31	16.79	0.33	2.00	r <sup>2</sup> = 0.0361
Between Group	9	399-34	44.37	0.86	1.94	$\eta^2 = 0.0545$
Within Group	135	6932-80	51.35			• 
TOTAL	144	7332.14	50.92			
	UPPER FA	CIAL LENGTH	on Nasal Br	eadth '		l
Linear Regression	1	10.92	10.92	0·39	3.91	$\mathbf{r} = +0.0531$
Deviation from Linearity	8	102.04	12.76	0.46	2.00	$\mathbf{r^2} = 0.0028$
Between Group	9	112.96	12.55	0.46	1.94	$\eta^{2} = 0.0292$
Within Group	135	3754.27	27.81			
TOTAL	144	3867.23	26.86			
	<u> </u>				<b>!</b>	<del>}</del>

Table 9.—Analysis for Testing Non-linearity of Regression—contd.

(Age Group 20—48 years, N=145)

	(2280 020		8, N = 145)			
Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio ( Varian		Coefficient of Correlation and
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio
(1·1)	(1.2)	(2·1)	(2·2)	(8·1)	(3.2)	(4)
	STAT	URE ON ZYGOR	ATIO BREADT	н		
Linear Regression	1	46393-66	46393.66	10.84	3.92	$r = +0.2733^{4}$
Deviation from Linearity	20	48527:30	2426-36	0.57	1.70	$t^4 = 0.0747$
Between Group	21	94920196	4520'05	1.06	1.68	$\eta^2 = 0.1528$
Within Group	123	526378'36	4279.50		ľ	
Total	144	621299:32	4314.58	}		
	HEAD L	ength on Zyo	OMATIC BREA	DTH		
Linear Regression	1	1130-29	1130.29	16.62*	3.92	$\mathbf{r} = +0.3299^{\bullet}$
Deviation from Linearity	20	889.25	44.46	0.65	1.70	$r^2 = 0.1088$
Between Group	21	2019-54	96·17	1.41	1.68	$\eta^2 = 0.1945$
Within Group	123	8365.36	68.01			
TOTAL	144	10384-90	72.12	]		
	HEAD BI	READTH ON ZY	GOMATIO BRE	ADTH	•	
Linear Regression	1	331-28	331-28	9.06*	3.92	r = +0.2514
Deviation from Linearity	20	414.18	20.71	0.57	1.70	r <sup>2</sup> = 0.0632
Between Group	21	745-46	35.50	0.97	1.68	$\eta^{1} = 0.1422$
Within Group	123	4496.03	36.55			· ·
TOTAL	144	5241.49	36.40			
	NASAL I	ENGTH ON ZY	GOMATIC BRE	ADTH		•
Linear Regression	1 1	147.62	147.62	7.58*	3.92	r = +0.2322
Deviation from Linearity	20	196-31	9.82	0.50	1.70	r <sup>2</sup> = 0.0539
Between Group	21	343.93	16.38	0.84	1.68	$\eta^{1} = 0.1256$
Within Group	123	2394.07	19.46	1		· ·
TOTAL	144	2737-99	19.01	]		
	NASAL E	READTH ON Z	YGOMATIU BRI	-' Badth		•
Linear Regression	1 1	49,30	49.30	j 5·03*	3.92	r = +0·1902
Deviation from Linearity	20	108,74	5:44	0.55	1:70	r <sup>2</sup> = 0.0361
Between Group	21	158'04	7.53	0.77	1.68	$\eta^2 = 0.1159$
Within Group	128	1205-93	9.80			1
TOTAL	144	1363.97	9.47	_		
	UPPER F.	ACIAL LENGTH	ON ZYGOMATI	O BREADTH	•	•
Linear Regression	, 1	377.22	377-22	14.89*	3.92	r = +0.31234
Deviation from Linearity	20	374.04	18.70	0.74	1.70	$\mathbf{r}^2 = 0.0975$
Between Group	21	751-27	35.77	1.41	1.68	$\eta^2 = 0.1942$
	1		05.00		1	l ,
Within Group	123	3115.97	25.33		ı	

Table 9.—Analysis for Testing Non-linearity of Regression—concld.

(Age Group 20—48 years, N=145)

Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio Variar		Coefficient of Correlation and	
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio	
(1·1)	(1.2)	(2·1)	(2·2)	(3·1)	(3·2)	(4)	
	STATU	RE ON UPPER	FACIAL LENG	гн			
Linear Regression	1	58171.63	58171.63	14.34*	3.92	$\mathbf{r} = +0.3060^{\bullet}$	
Deviation from Linearity	15	43891.57	2926·10	0.72	1.74	$\mathbf{r_2} = 0.0936$	
Between Group	16	102063-20	6378.95	1.57	1.71	$\eta^2 = 0.1643$	
Within Group	128	519235.92	4056.53				
TOTAL	144	621299·32	4314.58		}		
<b>.</b> .		NGTH ON UPP					
Linear Regression	[ 1	217·15	217.15	3,04	3.92	$\mathbf{r} = +0.1446$	
Deviation from Linearity	15	1039-39	69·29	0.97	1.74	$\mathbf{r}^2 = 0.0209$	
Between Group	16	1256.54	78.53	1.10	1.71	$\eta^{s} = 0.1210$	
Within Group	128	9128.36	71.32				
TOTAL	144	10384.90	72.12	]			
	HEAD BRI	EADTH ON UPP	ER FACIAL L	ENGTH			
Linear Regression	l <sup>1</sup>	55.28	55.28	1.40	3.92	$\mathbf{r} = +0.1027$	
Deviation from Linearity	15	126.25	8.42	0.21	1.74	$r^3 = 0.0105$	
Between Group	16	181.53	11.35	0.29	1.71	$\eta^2 = 0.0346$	
Within Group	128	5059.96	39.53		ŀ		
TOTAL	144	5241.49	36.40				
	NASAL LI	ength on Upp	er Facial Li	ENGTH	•		
Linear Regression	1	1102.10	1102·10	94.17*	3.92	r = +0.6345	
Deviation from Linearity	15	137.94	9.20	0.78	1.74	r <sup>2</sup> = 0.4025	
Between Group	16	1240.04	77.50	6.62*	1.71	$\eta^2 = 0.4529$	
Within Group	128	1497.95	11.70				
TOTAL	144	2737.99	19.01	_	1		
	NASAL BR	EADTH ON UP	PER FACIAL J	, Length		•	
Linear Regression	1 1	3.85	3.85	0.37	3.92	$\mathbf{r} = +0.0531$	
Deviation from Linearity	15	35.14	2.34	0.23	1.74	<b>I</b> 2= 0.0028	
Between Group	16	38.99	2.44	0.24	1.71	$\eta^2 = 0.0286$	
Within Group	128	1324.98	10.35		]		
TOTAL	144	1363-97	9.47	]			
	ZYGOMATIC	BREADTH ON	UPPER FACIAL	LENGTH	•		
Linear Regression	1	715.20	715.20	15.83*	3.92	r = +0.3128	
Deviation from Linearity	15	835.58	55.71	1.23	1.74	r <sup>2</sup> = 0.0975	
Between Group .	16	550.77	96.92	2.15*	1.71	$\eta^2 = 0.2116$	
Within Group	128	5781-36	45.17			,	
TOTAL .	144	7332-14	50.92	-			

Table 10.—Analysis for Testing Non-linearity of Regres sion.

		(All Ages, I	N = 200)				
Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio ( Varian		Coefficient of Correlation and	
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio	
(1·1)	(1·2)	(2·1)	(2·2)	(3·1)	(3.2)	(4)	
	Hı	AD LENGTH O	ON STATURE				
Linear Regression	1	1908.74	1908.74	31-86*	3.89	$\mathbf{r} = +0.3576^{\bullet}$	
Deviation from Linearity	18	2230.66	123.93	2.07*	1.66	r <sup>2</sup> = 0·1279	
Between Group	19	4139·40	217.86	3.64*	1.64	$\eta^2 = 0.2774$	
Within Group	180	10785·12	59.92				
TOTAL	199	14924.52	75.00				
•	HEAI	BREADTH O	N STATURE	•	•		
Linear Regression	l 1	252.16	252.16	7.94*	3.89	$\mathbf{r} = +0.1930^{\bullet}$	
Deviation from Linearity	18	802-38	44.58	1.40	1.66	r <sup>2</sup> = 0.0373	
Between Group	19	1054.54	55.50	1.75*	1.64	$\eta^{\bullet} = 0.1558$	
Within Group	180	5714.82	31.75				
TOTAL	199	6769-36	34.02				
	N.	ASAL LENGTH	ON COLUMN	1	•		
Linear Regression		117·27	I 117.27	g.00k	1 9.00	1 m _ i D.1750\$	
_	1 18		]	6.32	3.89	$\mathbf{r} = +0.1758^{\bullet}$	
Deviation from Linearity	19	337.15	18.73	1.01	1.66	$r^4 = 0.0309$	
Between Group Within Group	180	454·42 3337·94	23.92	1.29	1.64	$\eta^{\bullet} = 0.1198$	
Total	199	3792.36	19.06	-		l	
TOTAL	188	3792.30	19.00	-	1	l	
	NASA	L BREADTH O	N STATURE				
	1	30.75	30.75	3,33	3.89	r = +0.1279	
Deviation from Linearity	18	184.95	10.27	1.11	1.66	r <sup>2</sup> = 0.0164	
Between Group	19	215.70	11.35	1.23	1.64	$\eta^2 = 0.1147$	
Within Group	180	1664-18	9.25	_			
TOTAL .	199	1879-88	9.45	_		1	
	Zygom	ATIO BREADTI	H ON STATURE	}			
Linear Regression	l 1	762-64	762-64	15.47*	3.89	r = +0.2684	
Deviation from Linearity	18	947.47	52.64	1.07	1.66	$\mathbf{r}^{2} = 0.0721$	
Between Group.	19	1710-11	90.01	1.83*	1.64	$\eta^2 = 0.1616$	
Within Group	180	8873-39	49.30				
TOTAL	199	10583.50	53.18	_			
	Tinnwp 1	PAGEAT TREE	H ON STATUR	I	•	•	
Linear Regression	1	426.54	H ON STATUR	ii   18∙06 <b>*</b>	3.89	r = +0.28714	
Deviation from Linearity	18	497-82	27.66	1.17	1.66	,	
Between Group	19	924.36	48.65	2.06*	1.64	$\eta^2 \Rightarrow 0.1786$	
Within Group	180	4252.00	23.62			'	
·····				•	1	ī	

Table 10.—Analysis for Testing Non-linearity of Regression—contd.

(All Ages, N=200) Coefficient of Ratio of Degrees Sum of Variance Correlation Source of Variation Squares of and Correlation (Mean Freedom •Square) Deviation Ratio Observed 5% (1.1)(3.2)(4) (1.2)(2.1)(2.2)(3.1)STATURE ON HEAD LENGTH Linear Regression 27.87\* 3.89 =+0.3576\*116478.55 116478.55 37922-97 Deviation from Linearity 2230.76 0.53 1.67 0.1279 17 Between Group 18 154401.52 8577.86 2.05\* 1.66 0.1695 Within Group 181 756348.48 4178.72 910750.00 4576.63 TOTAL 199 MEAD BREADTH ON HEAD LENGTH Linear Regression r = +0.20341 280.17 280.17 8.16\* 3.89 Deviation from Linearity 17 272.37 16.02 0.471.67 0.0414552.54 30.70 1.66 Between Group 18 0.89 0.0816 Within Group 181 6216.82 34.35 TOTAL 199 6769.36 34.02 NASAL LENGTH ON HEAD LENGTH 0.770.77Linear Regression 1 0.04 3.89 r = +0.01491.67 Deviation from Linearity 17 345.58 20.33 1.07 0.0002 1.66 346.35 19.24 1.01 0.0913 Between Group 18 3446.01 Within Group 181 19.04 TOTAL 199 3792.36 19.06 NASAL BREADTH ON HEAD LENGTH Linear Regression 1 122.33 122:33 13.17\* 3.89 r = +0.255117 76.53 4.50 0.48 1.67 Deviation from Linearity 0.0651 Between Group 18 198.86 11.05 1.19 1.66 0.1058 1681.02 9.29 181 Within Group 199 1879.88 9.45 TOTAL ZYGOMATIC BREADTH ON HEAD LENGTH Linear Regression 1296.90 1296.90 26.89\* 3.89 =+0.35011.67 17 32.83 0.68 Deviation from Linearity 558.18 0.12251855.08 103.06 2.14\* 1.66 Between Group 18 0.1753 48.22 8728.42 Within Group 181 53.18 TOTAL 199 10583.50 UPPER FACIAL LENGTH ON HEAD LENGTH 1 47.15 47.15 1.86 3.89 = +0.0954Linear Regression 31.17 1.23 1.67 Deviation from Linearity 17 529.90 0.0091 577.05 32.06 1.26 1.66 Between Group 18 0.1115 181 4599.31 25.41 Within Group 5176.36 26.01 TOTAL 199

Table 10.—Analysis for Testing Non-linearity of Regression—contd.

Source of Variation (1·1)	Degrees of Freedom	Sum of Squares of	Variance			Coefficient of	
	Freedom	Sum of Squares of Deviation	(Mean	Ratio of Variance		Correlation and	
(1·1)	(1·2)	Deviation	Square)	Observed	5%	Correlation Ratio	
·	(1·2)	(2·1)	(2·2)	(3·1)	(3·2)	(4)	
	ST	ATURE ON HE	AD BREADTH				
Linear Regression	1	33925-44	33925.44	7.82*	3.89	r = +0.1930*	
Deviation from Linearity	13	73979-48	5690.73	1.31	1.77	$r^2 = 0.0373$	
Between Group	14	107904-92	7707-49	1.78*	1.74	$\eta^2 = 0.1185$	
Within Group	185	802845.08	4339.70				
Total	199	910750.00	4576.63				
	HEAD	LENGTH ON 3	Head Breadt	H			
Linear Regression	1	617.70	617.70	8.25*	3.89	$\mathbf{r} = +0.2034^{\bullet}$	
Deviation from Linearity	13	456-75	35.13	0.47	1.77	r <sup>2</sup> = 0.0414	
Between Group	14	1074-45	76.75	1.03	1.74	$\eta^2 = 0.0720$	
Within Group	185	13850-07	74.87				
TOTAL	199	14924-52	75.00				
	NASAT	LENGTH OF H	EAD BREADTE	•			
Linear Regression	1	161·89	161·89	8·85 <b>*</b>	3.89	$\mathbf{r} = +0.2066^{4}$	
Deviation from Linearity	13	246.89	18.99	1.04	1.77	$\mathbf{r^2} = 0.0427$	
Between Group	14	408.78	29.20	1.60	1.74	$\eta^2 = 0.1078$	
Within Group	185	3383.58	18-29			l '	
TOTAL	199	3792.36	19.06			1	
`•	NASAL	Brhadth on	HEAD BREAD	* ****		1	
Linear Regression	1		9.60	- <del></del>	ı 3·89	r = +0.0715	
Deviation from Linearity	13	100.34	7.72	0.81	1.77		
Between Group	14	109-94	7.85	0.82	1.74		
Within Group	185	1769-94	9.57			"	
TOTAL	199	1879-88	9.45	-			
`	ZYGOMA	TIC BREADTH	on Head Br	-' Eadth	•	•	
Linear Regression	<sub> </sub> 1	495.13	l 495·13	9.45*	1 3.89	r = +0.2162	
Deviation from Linearity	13	391.16	30.09	0.57	1.77		
Between Group	14	886-29	63.31	1.21	1.74	1	
Within Group	185	9697-21	52.42			•	
TOTAL	199	10583.50	53.18	-			
	UPPER H	'ACIAL LENGT		_I READTH	•	l	
Linear Regression	1 1	85.13	85.13	ı 3·26	3.89	$\mathbf{r} = +0.1282$	
Deviation from Linearity	13	265.84	20.45	0.78	1.77	,	
Between Group	14	350.97	25.07	0.96	1.74	$\eta^2 = 0.0678$	
Within Group	185	4825-39	26.08			1 - 0.0018	
TOTAL	199	5176.36	26.01	-			

Table 10.—Analysis for Testing Non-linearity of Regression—contd.

		(All Ages, N	-200)			
Source of Variation	Degrees of Freedom	Sum of Squares of Deviation	Variance (Mean Square)	Ratio (Varian	ce	Coefficient of Correlation and Correlation
				Observed	5%	Ratio
(1·1)	(1·2)	(2·1)	(2·2)	(3·1)	(3.2)	(4)
	Stat	URE ON NASA	L LENGTH			
Linear Regression	1	28162-21	28162·21	8-14*	3.89	$\mathbf{r} = +0.17584$
Deviation from Linearity	13	34394.63	2645.74	0.58	1.77	$\mathbf{r^2} = 0.0309$
Between Group	14	62556.84	4468-35	0.97	1.74	$\eta^2 = 0.0687$
Within Group	185	848193·16	4584.83		•	
TOTAL	199	910750.00	4576-63	ĺ	l	
	Head	LENGTH ON ]				
Linear Regression	] 1	3.01	3.01	0.04	3.89	$\mathbf{r} = +0.0149$
Deviation from Linearity	13	75.10	5.78	0.07	1.77	r <sup>2</sup> = 0.0002
Between Group	14	78-11	5.58	0.07	1.74	$\eta^{2}=.0.0052$
Within Group	185	14846-41	80.25			
TOTAL	199	14924.52	75.00			
	HEAD	BREADTH ON	NASAL LENGT	гн		
Linear Regression	1 1	288-97	288-97	8-63*	3.89	$\mathbf{r} = +0.2066^{\bullet}$
Deviation from Linearity	13	288.41	22·19	0.66	1.77	r <sup>2</sup> = 0.0427
Between Group	14	577·38 <sup>-</sup>	41.24	1.23	1.74	$ \eta^2 = 0.0853 $
Within Group	185	6191.98	33.47			
TOTAL	199	6769-36	34.02			
	NASAL	BREADTH ON	NASAL LENGT	ГН		
Linear Regression	, 1	0.01	0.01	0.001	3.89	$\mathbf{r} = +0.0024$
Deviation from Linearity	13	59.27	4.56	0.46	1.77	$\mathbf{r^2} = 0.00001$
Between Group	14	59.28	4.23	0.43	1.74	$\eta^2 = 0.0315$
Within Group	185	1820-60	9.84			
TOTAL	199	1879-88	9.45			
	Zydomai	i no Breadth (	ON NASAL LEI	7GTH		
Linear Regression	. 1	195.87	195-37	3.57	3.89	$\mathbf{r} = +0.1359$
Deviation from Linearity	13	255.37	19.64	0.86	1.77	$\mathbf{r}^{\mathbf{s}} = 0.0185$
Between Group	14	450.74	32·20	0.59	1.74	$\eta^2 = 0.0426$
Within Group	185	10132-76	54.77			•
TOTAL	199	10583.50	53.18			
	UPPER FA	COLAL LENGTH	ON NASAL LI	INGTH		
Linear Regression	<b>1</b>	2246.15	2246.15	147-28*	3.89	$\mathbf{r} = +0.6587$
Deviation from Linearity	13	108.79	8.37	0.55	1.77	r <sup>2</sup> = 0.4339
Between Group	14	2354·9 <b>4</b>	168-21	11.03	1.74	$\eta^2 = 0.4549$
Within Group	185	2821.42	15.25			
TOTAL	199	5176.36	26.01	ł		

Table 10.—Analysis for Testing Non-linearity of Regression—contd.

		(All Ages, N	=200)			
Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio e Varian		Coefficient of Correlation and
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio
(1·1)	(1·2)	(2·1)	(2·2)	(3·1)	(3.2)	(4)
	Stati	TRE ON NASAI	BREADTH	•	•	
Linear Regression	1	14899-62	14899-62	3.25	3.89	$\mathbf{r} = +0.1279$
Deviation from Linearity	8	25157-22	3144·65	0.69	1.98	$\mathbf{r}^{\mathbf{s}} = 0.0164$
Between Group	9	40056-84	4450.76	0.97	1.94	$\eta^2 = 0.0440$
Within Group	190	870693.16	4582.60			
TOTAL	199	910750-00	4576.63			
	HEAD LE	NGTH ON NAS	SAL BREADTH			
Linear Regression	1	971.20	971.20	13.59*	3.89	$\mathbf{r} = +0.2551$
Deviation from Linearity	8	371.26	46.41	0.65	1.98	r <sup>3</sup> = 0.0651
Between Group	9	1342-46	149.16	2.09*	1.94	$ \eta_{\bullet} = 0.0900 $
Within Group	190	13582.06	71.48			
TOTAL	199	14924.52	75.00	]		
	HEAD B	READTH ON N	ASAL BREADT	H		
Linear Regression	1	34.58	34.58	1.04	3.89	$\mathbf{r} = +0.0715$
Deviation from Linearity	8	432-12	54.01	1.63	1.98	$\mathbf{r}^3 = 0.0051$
Between Group	9	466.70	51.86	1.56	1.94	$\eta^{\bullet} = 0.0689$
Within Group	190	6302-66	33.17		1	
Total	199	6769-36	34.02			
	NASA	L LENGTH ON	NASAL BREAD	- <b>'</b> O <b>T</b> H		•
Linear Regression	լ 1	0.02	0.02	0.001	3.89	r = +0.0024
Deviation from Linearity	8	132.47	16.56	0.86	1.98	r³= 0.00001
Between Group	9	132.49	14.72	0.76	1.94	$\eta^3 = 0.0349$
Within Group	190	3659-87	19.26			\
TOTAL	199	3792:36	19.06	-		
	ZYGOMATIC	BREADTH ON	NASAL BREA	- .d <b>t</b> h	•	
Linear Regression	<sub> </sub> 1	721.68	721.68	14.23*	3.89	r = +0.2611
Deviation from Linearity	8	226.17	28.27	0.56	1.98	r³= 0.0682
Between Group	9	947.85	105.32	2.08*	1.94	$  \eta^3 = 0.0896$
Within Group	190	9635.65	50.71			'
TOTAL	199	10583.50	53.18	-		
	UPPER FAC	OIAL LENGTH (	ON NASAL BRI	–I EADTH	•	1
Linear Regression	1	16.61	16.61	0.62	3.89	$\mathbf{r} = +0.0567$
Deviation from Linearity	8	91.54	11.44	0.43	1.98	r³= 0.0032
Between Group	9	108-15	12.02	0.45	1.94	$\eta^3 = 0.0209$
-				1		'
Within Group	190	5068-21	26.67			

Table 10.—Analysis for Testing Non-linearity of Regression—contd.

		(All Ages, ]	N = 200			
Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio ( Varian		Coefficient of Correlation and
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio
(1·1)	(1.2)	(2·1)	(2·2)	(3·1)	(3.2)	(4)
	STATUR	E ON ZYGOMA'	r'c Breadth			
Linear Regression	1	l 65627·73	65627.73	14.50*	3.90	$\mathbf{r} = +0.2684^{\bullet}$
Deviation from Linearity	20	39666-91	1983-35	0.44	1.63	$\mathbf{r^2} = 0.0721$
Between Group	21	105294.64	5014.03	1.11	1.61	$\eta^3 = 0.1156$
Within Group	178	805455-36	4525.03			
TOTAL	199	910750-00	4576-63			
	НЕЛD LE	ngth on Zyg	OMATIC BREAT	тн		
Linear Regression	1	1828-85	1828-85	25.90*	3.90	$\mathbf{r} = +0.3501^{\bullet}$
Deviation from Linearity	20	527.72	26.39	0.37	1.63	$r^2 = 0.1225$
Between Group	21	2356-57	112-22	1.59	1.61	$\eta^{s} = 0.1579$
Within Group	178	12567.95	70.61			
TOTAL	199	14924.52	75.00	1	[	
	HEAD BRE	ADTH ON ZYG	OMATIC BREAD	DTH		
Linear Regression	1	316.69	316.69	9.61*	3.90	$\mathbf{r} = +0.2162^*$
Deviation from Linearity	20	588.25	29.41	0.89	1.63	r <sup>2</sup> = 0.0468
Between Group	21	904.94	43.09	1.31	1.61	$\eta^2 = 0.1337$
Within Group	178	5864-42	32.95			•
TOTAL	199	6769-36	34.02	1		
	NASAL I	LENGTH ON ZY	GOMATIC BRE	ADTH		
Linear Regression		70.01	70·01	3.47	3.90	$\mathbf{r} = +0.1359$
Deviation from Linearity	20	126.13	6.31	0.31	1.63	r <sup>2</sup> = 0.0185
Between Group	21	196-14	9.34	0.46	1.61	
Within Group	178	3596-22	20.20			,
TOTAL	199	3792-36	19.06	•		
	NASAL BRE	ADTH ON ZYG	OMATIC BREAT	DТН		ı
Linear Regression	1	128.19	128.19	14·11*	ı 3·90 .	$\mathbf{r} = +0.2611$
Deviation from Linearity	20	134.45	6.72	0.74	1.63	$\mathbf{r}^2 = 0.0682$
Between Group	21	262.64	12.51	1.38	1.61	$\eta^{\bullet} = 0.1397$
Within Group	178	1617-24	9.09			4
TOTAL	199	1879-88	9.45			
TI	DDPP FACIAL	L LENGTH ON	ZVOONAMIO R	.' DDATAMU	•	
Linear Regression	1	245·60	245·60	9.55*	3.90	$  \mathbf{r} = +0.2178^{\bullet}$
Deviation from Linearity	20	355.35	17.77	0.69	1.63	$\mathbf{r}^2 = 0.0474$
Between Group	21	600.95	28.62	1.11	1.61	$\eta^2 = 0.1161$
Within Group	178	4575.41	25.70			•
TOTAL	199	5176-36	26.01	]		
	<u> </u>	<u> </u>	I	<u> </u>	I (	

Table 10.—Analysis for Testing Non-linearity of Regression—concld.

(All Ages, N=200)

		(All Ages, N	=200)			
Source of Variation	Degrees of	Sum of Squares of	Variance (Mean	Ratio Varian		Coefficient of Correlation
	Freedom	Deviation	Square)	Observed	5%	Correlation Ratio
(1·1)	(1·2)	(2·1)	(2·2)	(3·1)	(8·2)	(4)
	STATUR	E ON UPPER I	AOIAL LENGT	E		
Linear Regression	1	75046-71	75046-71	17·18*	3.89	r = +0.2871*
Deviation from Linearity	15	36145·85	2409·72	0.55	1.72	r <sup>2</sup> = 0·0824
Between Group	16	111192-56	6949.54	1.59	1.69	$\eta^* = 0.1221$
Within Group	183	799557-44	4369-17			
TOTAL	199	910750-00	4576-63			
	HEAD LE	NGTH ON UPP	er Facial Le	NGTH		
Linear Regression	1	135.95	135.95	1.84	3·89 I	$\mathbf{r} = +0.0954$
Deviation from Linearity	15	1244.70	82.98	1.12	1.72	r <sup>2</sup> = 0.0091
Between Group	16	1380-65	86.29	1.17	1.69	$\eta^2 = 0.0925$
Within Group	183	13543.87	74.01			
TOTAL	199	14924-52	75.00	ļ		
	HEAD BREA	DTH ON UPPE	R FACIAL LEN	GTH	•	
Linear Regression	1	111.33	111.33	3.15	3.89	r = +0.1282
Deviation from Linearity	15	181.03	12.07	0.34	1.72	r <sup>2</sup> = 0.0164
Between Group	16	292-36	18-27	0.52	1.69	$\eta^2 = 0.0432$
Within Group	183	6477.00	35.39			
TOTAL	199	6769-36	34.02		<b> </b>	
	NASAL LENG	OTH ON UPPER	FACIAL LENG	ЭТН		
Linear Regression	1	1645-60	1645-60	152.06*	3.89	r = +0.6587
Deviation from Linearity	15	166-28	11.09	1.02	1.72	r <sup>2</sup> = 0·4339
Between Group	16	1811-88	113-24	10.46	1.69	$\eta^2 = 0.4778$
Within Group	183	1980-48	10.82			
TOTAL	199	3792-36	19.06			
;	NASAL BREA	DTH ON UPPE	R FACIAL LEN	GTH	•	
Linear Regression .	1	6.03	6.03	0.60	3.89	$\mathbf{r} = +0.0567$
Deviation from Linearity	15	26-29	1.75	0.17	1.72	r <sup>2</sup> = 0.0032
Between Group	16	32-32	2.02	0.20	1.69	$\eta^2 = 0.0172$
Within Group	183	1847-56	10.10			
TOTAL	199	1879-88	9.45			
Zyg	OMATIC BREA	ADTH ON UPP	ER FACIAL LE	NGTH		
Linear Regression	l 1	502-16	502.16	9.74*	<b>3</b> ·89	r = +0·2178*
Deviation from Linearity	15	649.57	43.31	0.84	1.72	r <sup>2</sup> = 0.0474
Between Group	16	1151.73	71.98	1.40	1.69	$\eta^2 = 0.1088$
Within Group	183	9431.77	51.54			,
TOTAL	199	10583.50	53.18			
	<del></del>		<u> </u>		<u> </u>	

Table 11.—Values of Product Variances (in sq. mm.).

Character	Stature	Head Length	Head Breadth	Nasal Length	Nasal Breadth	Zygomatic Breadth	Upper Facial Length.
		(AGE GR	OUP 15-19 Y	EARS, N=46)			
Stature	5759-3716	167-6267	-22.6844	52.8800	17.0489	158-5778	55.6444
Head Length	167-6267	80.4739	1.7213	9.3360	11.4960	26-2787	<b>—4</b> ⋅7453
Head Breadth	22-6844	1.7213	30.5434	7.2800	1.6871	2.1458	4.5209
Nasal Length	52.8800	9.3360	7.2800	16.6700	0.7564	5.4249	14.3360
Nasal Breadth	17.0489	11.4960	1.6871	-0.7564	9.4159	8.6800	0.5689
Zygomatic Breadth.	158-5778	26.2787	2.1458	5.4249	8.6800	53.2652	<b>-4</b> ·9093
Upper Facial Length	55.6444	-4·7453	4.5209	14.3360	0.5689	-4.9093	22.7763
	•	(AGE GROUP 2	20—48 YEARS,	N=145)			
Stature	4314-5786	221:8625	106-5806	46.9139	29.8472	128.0806	104.1583
Head Length	221.8625	72.1174	12-2988	3.5133	5.4217	19-9917	6.3638
Head Breadth	106-5806	12-2988	36.3992	5-0386	1.0475	10.8231	3.2108
Nasal Length	46·91 <b>3</b> 9	3.5133	5.0386	19.0138	0.2014	7.2247	14.3367
Nasal Breadth	29.8472	5.4217	1.0475	-0.2014	9.4720	4.1753	0.8475
Zygomatic Breadth	128.0806	19-9917	10 8231	7-2247	4.1753	50.9176	11.5492
Upper Facial Length	104-1583	6.3638	3.2108	14.3367	0.8475	11.5492	26.8558
		( <b>A</b> 1	LL AGES, N=2	200)			<del></del>
Stature	4576-6332	209-5176	76.1528	51.9317	26.5950	132.4362	99.0432
Head Length	209.5176	74-9976	10.2757	0.5370	6.7900	22·1080	4.2154
Head Breadth	76.1528	10.2757	34.0169	5.2605	1.2818	9·1998	3.8147
Nasal Length	51.9317	0.5370	5.2605	19.0571	0.0326	4.3254	14.6663
Nasal Breadth	26.5950	6.7900	1.2818	0.0326	9.4466	5.8531	0.8880
Zygomatic Breadth	132-4362	22·1080	9•1998	4.3254	5.8531	53.1834	8.1017
Upper Facial Length	99.0432	4.2154	3.8147	14.6663	0.8880	8.1017	26.0118